

CATALOGUE

FOR 1844,

OF A CHOICE COLLECTION

OF

FLORICULTURAL, VEGETABLE, AND AGRICULTURAL SEEDS,

COMPRISING, IN ALL, UPWARDS OF

1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS,

well worthy the attention of Florists and Amateurs in general.

THE LISTS OF VEGETABLE AND AGRICULTURAL SEEDS
WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

JAMES CARTER,

SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

*** The German Seeds are from the usual source.

[Entered at Stationers' Hall.]

Gift of
Earl Blough
November 1957

THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; hh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; lha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; gh. and high. *green or hothouse*; sa. *stove annual*; hh. *hardy biennial*; hbb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*.

7th Column.—*Usual month of flowering*: 6, June; 6-9, June to September, &c. &c.

8th Column.—*Price per Packet*. 6d. Packets may be had of those marked 3d., &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, April till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots | ... | ... | ... | ... | indicate a repetition; *pl.* *plures*, many; *ex.* from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

a. <i>Stamens (male organs) equal.</i>		c. <i>Stamens united in sets.</i>	
Classes.	No. 1. Monan'dria	1 stamen	16. Monadelphia, 1 set
	2. Diandria	2 stamens	17. Diadelphia, 2 sets
	3. Triandria	3 "	18. Polyadelphia, many sets
	4. Tetrandria	4 "	d. <i>Compound Flowers (Asters, &c.).</i>
	5. Pentandria	5 "	19. Syngenesia
	6. Hexandria	6 "	e. <i>Stamens on the style.</i>
	7. Heptandria	7 "	20. Gynandria
	8. Octandria	8 "	f. <i>Male and female separated.</i>
	9. Enneandria	9 "	21. Monœ'cia, on one plant
	10. Decandria	10 "	22. Dioœ'cia, on different plants
	11. Dodecandria 12 to 19 S. in the cup		g. <i>Male, female, and hermaphrodite flowers, on one or different plants.</i>
	12. Icosandria 20 or more S. on the base		23. Polygamia, many marriages
	13. Polyandria, many Stamens		h. <i>Flowers wanting, or incomplete.</i>
	b. <i>Stamens unequal.</i>		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).
	14. Didynamia, 2 long, 2 short		
	15. Tetradynamia, 4 " 2 "		

ASSORTMENTS OF GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

** The Smaller Packets are only adapted for Small Gardens.

No.	<i>Splendid Asters, hha.</i>	s. d.	No.	<i>Stocks continued, hha.</i>	s. d.
1	40 varieties,separate	10 0	17	15 autumnal	4 6
2	40 — smaller packets	6 0	18	15 — smaller.....	2 6
3	20 varieties	5 0	19	16 Queen & Brompton, <i>hbb.</i>	5 0
4	20 — smaller packets	3 0	20	16 — smaller..... „	3 0
5	16 new dwarf.....	4 6	21	8 Queen & Brompton, „	2 6
6	16 — smaller.....	2 6	22	8 — smaller..... „	1 6
<i>Finest Stocks, hha.</i>			<i>Sundry German Seeds.</i>		
7	60 varieties,separate	15 0	23	12 finest Wallflower, <i>hp.</i> ...	4 6
8	60 — smaller.....	8 0	24	12 — smaller, <i>hp.</i>	2 6
9	25 all dwarf	7 6	25	12 dwarf Larkspur, <i>ha.</i>	3 0
10	25 — smaller.....	4 0	26	8 tall „ <i>ha.</i>	2 0
11	12 finest dwarf	5 0	27	16 double Poppy, <i>ha.</i>	3 0
12	12 — smaller.....	3 0	28	10 Scabiosa, new, <i>hp.</i>	3 0
13	12 branching	3 6	29	20 double Balsam, <i>ta.</i>	4 0
14	12 — smaller.....	2 0	30	36 double Hollyhock, <i>hp.</i> ...	7 0
15	12 wallflower-leaved.....	3 6	31	24 <i>Zinnia elegans, hha.</i>	8 0
16	12 — smaller.....	2 0	12	do. do.....	5 0

SUNDRY OTHER ASSORTMENTS,

Including the Finest Varieties.

No.		s. d.	No.		£ s. d.
32	10 <i>Alstroemëria, fgh.</i>	5 0	47	6 <i>Nemóphila, ha.</i>	0 2 0
33	5 <i>Anemone, hp.</i>	2 0	48	8 <i>Enothëra, ha & p.</i>	0 2 0
34	8 <i>Aquilegia, hp.</i>	2 6	49	16 <i>Pentstemon, hp.</i>	0 5 0
35	8 <i>Calliopsis, hha.</i>	1 6	50	10 <i>Petunia, hhp.</i>	0 4 6
36	10 <i>Campanula, hp.</i>	2 6	51	6 <i>Schizanthus, ha.</i>	0 2 0
37	6 <i>Candytuft, ha.</i>	1 0	52	12 <i>Snapdragon, hp.</i>	0 3 6
38	8 <i>Clarkia, ha.</i>	1 6	53	12 Greenhouse climbers	0 7 6
39	8 <i>Convolvulus Major, hha.</i>	2 0	54	50 Hardy Annuals.....	0 7 6
40	10 <i>Delphinium, hp.</i>	2 6	55	25 do. do.	0 4 0
41	12 <i>Dianthus, hb & p.</i>	3 6	56	50 Finest half-hardy	1 0 0
42	8 <i>Digitális, hp.</i>	1 6	57	25 do. do.	0 10 0
43	6 <i>Gilia, ha.</i>	1 3	58	50 Commoner do.	0 12 0
44	12 <i>Godetia, ha.</i>	2 6	59	25 do. do.	0 6 0
45	8 <i>Lobelia, hb & p.</i>	4 0	60	25 Fine Perennials.....	0 7 6
46	10 <i>Marigold, hha.</i>	2 0			

Explanations.—*HHA.* half-hardy annuals; *HBB.* half-hardy biennials; *HHp.* half-hardy perennials; *FGH.* frame or greenhouse; *HA.* hardy annuals; *HP.* hardy perennials. Many of the perennials flower the first year if sown in good time; viz. those marked † in the body of the Catalogue.

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, *Adenóphora*, 5, 25, 76, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynea*, from its having 1 Style (Pistillum); and to the Natural Order *Campanutaceæ*, plants with Bell-shaped Flowers.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Adenóphora suaveolens* is rendered Fragrant *Adenóphora*, &c.—In giving orders it is sufficient to mention the numbers and date of the Catalogue.

A — indicates a variety. () That the word is not literally translated, or is superadded.		THE ACCENTS.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height, in Feet.	Month of Flowering.	Price per Packet.
à, è, ì, ò, ù, ý, as in <i>Acà-cia</i> , <i>Gardè-nia</i> , <i>Lupè-nus</i> , <i>Ch-camis</i> , <i>Hy-acinth</i> .											
á, é, í, ó, and ý, as in <i>Itál-ica</i> , <i>él-eans</i> , <i>bic-olor</i> , <i>Nemóph-ila</i> (ú does not occur).											
Scientific Name.											
No.									feet	s.d.	
61	<i>Abrus precatorius**</i>	prayer	17 45	102	S.	p&p.	12	4-6	6		
62	<i>Aeicia armata</i>	armed	23 51	...	G.	yel.	10	6-8	6		
63	<i>lopantia</i>	crest-flowered	6	...	6		
64	— — —	8 fine species	ywp	2 0		
65	<i>Adenóphora suaveolens</i>	fragrant	5 25	76	hp†	red	3	...	3		
66	— — —	3 fine species	b&r.	2	5-8	6		
67	<i>Adesmia</i> , 3 sp. ex Chile	3 Chilean species	16 45	102	G.	yel.	3	...	1 0		
68	<i>Adlúmia cirrhosa**</i>	tendrilled	17 41	91	hp†	w&p	15	6-7	3		
69	<i>Adonis vernalis</i>	vernal	13 35	129	...	yel.	1	3-5	6		
70	<i>Allium fragrans</i>	fragrant	6 25	103	G.	wh.	1½	8-9	6		
71	<i>Ageratum mexicanum</i>	Mexican	19 53	82	ha	bl.	...	7-8	3		
72	<i>odoratum</i>	fragrant	3		
73	<i>Alonsòia grandiflora</i>	large-flowered	14 59	134	hhp†	se.	...	6-9	6		
74	<i>Alströmèria aurantiaca</i>	orange	6 25	64	hp†	or.	2½	6-8	6		
75	<i>Pelcgrina</i>	(striped)	G.†	str.	1½	...	6		
76	— <i>alba</i>	white	wh.	1 0		
77	<i>pulehella</i>	pretty	sc.	3	...	6		
78	<i>tricolor</i>	three-coloured	var.	2	...	1 0		
79	<i>sp. ex Coquimbo</i>	<i>Coquimbo species</i>	pur.	1 0		
80	— — —	fine, mixed	div.	1 0		
81	<i>Alyssum saxatile</i>	rock	15 60	85	hp†	yel.	1	4-6	3		
82	<i>Amaranthus tricolor</i>	three-coloured	21 40	63	ta	va. l.	1½	7-9	3		
83	<i>Amethystea cærulea</i>	blue-(flowered)	2 25	101	ha	bl.	2	7-8	3		
84	<i>Amphicòme arguta</i>	(finety-cut)	14 59	71	hhp	li.	1 0		
85	<i>Anagallis arvensis</i>	<i>Pimpernel</i>	5 25	127	ha	sc.	½	...	3		
86	<i>carnea</i>	flesh-coloured	fl.	1	...	3		
87	<i>indica</i>	Indian	bl.	3		
88	<i>Monelli</i>	<i>Monelli's</i>	fgp†	6-9	6		

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.										
89	Anagallis Philipsi	Philips'	5	25	127	fgpt	bl.	1	6-9	6
90	— snperba novà	superb new	pur.	1 0
91	— — —	(finest mixed)	div.	1 0
92	Anehusa paniculata	panicled	72	hpt	bl.	2	6-8	6
93	Anemone, sp. novà	(New Russian)	13	35	129	...	div.	1½	3-6	1 0
94	Coronaria	(Poppy A.)	1½	5-7	6
95	hortensis	garden	¾	...	6
96	Pulsatilla	(Pasque-flower)	vio.	¾	...	6
97	vitifolia	vine-leaved	wh.	2½	7-9	6
98	Anigosanthos splendens	splendid	6	25	97	G.	se.	...	5-9	1 0
99	Anomathœca cruenta	blood-red	3	...	100	hpt	red	1	6-9	6
100	Antirrhinum elegans	elegant	14	59	134	hpt	pur.	2	...	6
101	Anoda Dilleniana	Dillenius'	16	48	111	ha	bl.	...	7-8	6
102	Aquilegia formosa	beautiful	13	30	129	hp	r&o.	...	5-7	4
103	canadensis	Canadian	4
104	— elatior	— taller	2½	...	4
105	glandulosa	glandular	w&b	2	...	6
106	grandiflora	large-flowered	bl.	4
107	sibirica	Siberian	b&w	4
108	speciosa	showy	bl.	4
109	stellata	starry	w&b	4
110	viscosa	viscous	pur.	4
111	— — —	(fine mixed)	div.	6
112	Arabis alpina	alpine	15	60	85	hpt	w&y	¾	4-6	3
113	Argemone grandiflora	large-flowered	13	25	120	ha	wh.	2	7-9	6
114	mexicana	Mexican	yel.	3
115	— — —	4 species mixed	w&y	3
116	Aristolœchia chilensis**	Chilean	20	41	67	G.	p&y.	10	...	1 0
117	Asclèpias curassavica	Curassoa	5	26	68	...	se.	2½	...	6
118	gigantea	gigantic	w&p	10	...	6
119	pneumonanthe	wind-flower	hlp+	G.	3	...	6
120	2 sp. ex. Chîle	2 Chilean species	1 0
121	Aster incisus	cut- (leaved)	19	54	82	hpt	bl.	1	6-8	3
122	sp. perennans	perennial	2	...	6
123	Astragalus, 3 sp.	(3 fine sp. mixed)	17	45	102	hp	div.	6
124	Athanasia annua	annual	19	53	82	ha	yel.	¾	7-8	3
125	Azalea, 20 var.	20 fine varieties	5	25	88	hp	div.	3	5-6	1 0
126	Bœckia, sp. Novæ Holland.	New Holland sp.	8	...	114	G.	wh.	2	6-8	1 0
127	Baptisia anstralis	southern	10	...	102	hpt	bl.	3
128	Bartonia aurea	golden	13	...	106	ha	yel.	...	7-9	4
129	Baulhinia, pl. sp.	(sev. sp. mixed)	10	...	102	S.	div.	div.	6-8	1 0
130	— — —	4 fine species sep.	2 6
131	Begonia grandiflora	large-flowered	21	48	150	1 0
132	Berberis Aquifolium	(Mahonia Aquif.)	6	25	70	hp	yel.	6	4-6	6
133	dulcis	sweet	4	5-7	1 0
134	empetrifolia	Empetrium-lvd.	1 0
135	fasciculâris	bundle-flowered	8	...	1 0
136	repens	dwarf	1 0
137	tenuifolia	fine-leaved	12	...	1 6
138	Bignonia**, 4 sp.	(4 fine sp. sep.)	14	59	71	S.	div.	10	6-9	1 6

A — indicates a variety. () That the word is not literally translated, or is super-added.

No.		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
									feet		s. d.
139	Bignônia, sp. ex Chile		11	59	71	S.	pur.	4	6-9	1	0
140	Billardiëra mutabilis**		5	25	122	G.	...	7	...	1	0
141	Blumenbáchia insignis		18	48	106	ha	w&r	7-9	...	6	
142	Bomària acutifolia**		6	25	64	G.†	r&y.	6	...	1	0
143	Salsilla**		g&c.	6	
144	variabilis**		var.	1	0
145	— — —		div.	1	0
146	Brachycòma iberidifolia		19	54	82	hha	bl.	2	...	1	0
147	Brachysèma latifolium		10	25	102	G.	er.	3	5-8	1	0
148	Browallia elata		14	59	134	gha	pur.	2	6-9	3	
149	— alba		wh.	3	
150	Buddica, sp. ex Chile		4	25	...	hhp	or.	6	
151	Cacàlia coccinea		19	53	82	hha	sc.	3	7-8	3	
152	— aurea		or.	6	
153	Calampèlis scabra**, 2 v.		14	59	71	G.	l.d.o	6	6-9	6	
154	Calandrinia discolor		11	25	126	hha	rose	2	7-8	6	
155	grandiflora		p. r.	3	
156	speciosa		pur.	1	...	3	
157	Calceolaria pinnata		2	...	134	...	ycl.	1	...	6	
158	— — —		G.	div.	2	6-9	1	0
159	Calliopsis (Coreopsis)		19	55	82	hha	7-9	6	
160	bicolor		y&r.	3	
161	— atrosanguinea		r&y.	3	
162	— fistulosa		6	
163	— grandiflora		y&r.	3	
164	— — nigra		bla.	3	
165	— semiplena		y&r.	6	
166	Drummondii		y&b.	1	...	3	
167	Atkinsonia		hp	ycl.	2	...	3	
168	Callichroa platyglossa		...	56	...	hha	...	1	...	3	
169	Campánula carpatica		5	25	76	hpt	bl.	3	6-9	3	
170	— alba		wh.	6	
171	fragilis		hhpt	l. b.	trai	...	6	
172	— alba		wh.	6	
173	garganica		bl.	6	
174	hirsuta		hpt	6	
175	grandis		2	...	6	
176	persicifolia, 2 v.		b&w	3	...	6	
177	pulcherrima		bl.	2	...	6	
178	pyramidalis		hp	...	4	...	4	
179	— alba		wh.	4	
180	Mèdium		hpt	bl.	2	...	3	
181	— alba		3	
182	— flore-pleno		w.l.b	6	
183	Lòrci		ha	bl.	1	7-8	4	
184	— alba		wh.	4	
185	Canna coccinea		1	...	110	S.	sc.	2	year	6	
186	Carthamus tinctorius		19	53	82	ha	or.	5	7-9	3	
187	Catananche lutea		ycl.	1	7-8	3	
188	carulea		hpt	bl.	2	6-9	3	

A — indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
189	Catananche bicolor	two-coloured.	19	53	82	hpt	w & c	2	6-9	6
190	Celòsia, 2 sp.	two species	5	25	63	ta	wh.	...	7-8	6
191	Celsia crética	Cretan	14	52	137	hp	ycl.	6	...	3
192	orientàlis	Oriental	ha	l. y.	2	...	3
193	Centaurea americana	American	19	55	82	fa	red	...	8-9	6
194	atropurpurea	dark purple	hpt	pur.	...	7-9	4
195	depressa	dwarf	ha	b & r.	1	7-8	3
196	pulehra	fair	pur.	2	7-9	6
197	Cereus et Cactus, 5 sp.	(5 fine species)	12	25	75	S.	div.	div.	div.	1 6
198	Chamærops Palmetta	(dwarf Palm)	23	52	119	...	g & w	...	3-6	6
199	Chelone barbata	bearded	14	59	134	hpt	sc.	2	7-9	6
200	Chorozeà, 3 species	(3 fine species)	10	25	102	G.	c & y.	2½	6-8	1 0
201	Cineraria, pl. var.	(splendid mixed)	19	54	82	...	div.	2	5-7	1 6
202	Cistus, pl. sp. et var.	(beautiful mixed)	13	25	79	hpt	6-9	1 0
203	Citrus, sp. occidentàlis	(Forbidden Fruit)	18	48	149	sg	wh.	4	5-9	1 0
204	Cladanthus arabicus	Arabian	19	54	82	ha	ycl.	1	7-8	3
205	Clarkia gauroides	Gaura-like	8	25	117	...	pur.	2	...	3
206	élegans	elegant	li.	3
207	— rosea	rose-coloured	rose	3
208	pulehella	pretty	1½	...	3
209	— alba	white var.	wh.	3
210	— grandiflora	large-flowered	d. r.	3
211	— fimbriata	fringed.	r.	6
212	Cleome pentaphylla	five-leaved	15	61	77	hla	rose	2	...	4
213	speciosa	showy	wh.	6
214	spinosa	spiny	rd.	4
215	Clianthus puniceus	granate	17	45	102	G.	cr.	6	6-8	6
216	Clintonia elegans	elegant	16	40	107	hla	bl.	1½	7-8	6
217	pulehella	(most beautiful)	3col.	1	...	1 0
218	Clitoria virginiana	Virginian	17	45	102	G.	bl.	6	...	6
219	Ternatea**	(blue-flowered)	S.	...	4	7-9	1 0
220	sp. lilacina	lilac	G.	li.	6	7-8	6
221	Cobaea scandens**	climbing	5	25	80	...	pur.	30	6-9	6
222	Collinsia bicolor	two-coloured	14	59	134	ha	w & p	1½	7-8	3
223	grandiflora	large-flowered	p & b.	1	...	3
224	heterophylla	various-leaved	w & r.	1½	...	3
225	verna	vernal	b & p.	1	...	3
226	Collomia coccinea	scarlet	5	25	123	...	sc.	3
227	Commelina celestis	sky-blue	3	...	81	hpt	bl.	1½	6-8	6
228	Convolvulus sp.	(fine species)	5	...	83	G.	stri.	6	6-9	1 0
229	Cordylone, sp.	(fine species)	6	...	103	1 0
230	Corydalis glauca	glauca	17	41	91	ha	p & y.	2	7-9	3
231	Cosmanthus fimbriatus	fringed	5	25	98	hla	7-8	6
232	Cosmea bipinnata	bipinnate	19	55	82	...	pur.	2	8-9	6
233	Cótula, 2 sp.	(two fine species)	...	54	...	ha	o & y.	½	7-8	6
234	Cristaria, 3 sp. ex Chilè	3 Chilean species	16	48	111	hla	div.	2	...	6
235	Crotalaria latifolia	broad-leaved	...	45	102	S.	ycl.	6
236	puleherrina	most beautiful	1 0
237	— — —	4 fine species	6-9	1 0
238	Crucianella stylòsa	long-styled	4	25	158	hpt	pink	½	6-8	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	s. d.
239	Cruikshanksii eistiflora	10	30	118	fgh	yel.	1	6-8	6
240	Cuphea silenoides [tm]	11	25	108	ha	pur.	2	7-8	6
241	Cynoglossum glochida-	5	...	72	hpt	bl.	3	4-8	6
242	Cytisus argenteus	16	45	102	G.	yel.	2	5-7	6
243	racemosus	6
244	Dahlia repens	19	54	82	hha	div.	1	7-9	6
245	Datura ceratocaula	5	25	137	...	w & r	3	...	4
246	fastuosa	pur.	2	...	4
247	— alba	wh.	4
248	— — —	w & p	4
249	Delphinium azureum	13	28	129	hpt	bl.	5	...	3
250	amœnum	2	...	3
251	chinense	3
252	— album	wh.	3
253	— plœnum	bl.	6
254	— — album	wh.	6
255	— — novum	6
256	— — —	div.	2 6
257	clatun	5	...	6
258	grandiflorum	div.	2	...	6
259	gratum	bl.	3
260	lazuinum	6
261	palmatifidum	2½	...	3
262	sibiricum	6
263	speciosum	3	...	4
264	sulcatum	2	...	4
265	triste	4
266	urceolatum	6
267	— — —	div.	6
268	Desmodium gyroides	17	45	102	S.	pur.	5	6-8	1 0
269	— — —	div.	4	...	1 0
270	Dianthus alpinus	10	26	136	hpt	cr.	½	...	3
271	atrorubens*	d. r.	1	...	6
272	chinensis, fl. pl.*	hb†	div.	6
273	fimbriatus	6
274	gigantens	hpt	red	4	...	6
275	guttatus	sp.	1	...	4
276	hispânicus	hb†	red	3
277	— splendens	se.	6
278	hybridus	div.	3
279	latifolius	3
280	lusitanicus	6
281	plumarius, fl. pl.	hpt	div.	6
282	pulchellus*	6
283	superbus	lil.	1½	...	3
284	Didiscus cœruleus	5	25	144	hha	bl.	2	7-9	6
285	Digitâlis aurca	14	59	134	hpt	or.	3
286	grandiflora	yel.	3	...	3
287	lutea	2	...	3
288	purpurea	pur.	3	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	Cl.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
289	<i>Digitalis purpurea alba</i>	<i>white var.</i>	14	59	134	hpt	wh.	3	7-9	3
290	— <i>bicornuta</i>	<i>two-horned</i>	3
291	— <i>rosea</i>	<i>rose-coloured</i>	rose	3
292	— — —	<i>12 sp. mixed</i>	div.	div.	...	6
293	<i>Diplæus puniceus</i>	<i>scarlet</i>	hpt	sc.	3	...	6
294	<i>Diplocoma villosa</i>	<i>downy</i>	19	54	82	hpt	yel.	1	5-7	3
295	<i>Dodecatheon Meadia</i>	<i>Mead's</i>	5	25	127	fgb	div.	1 0
296	<i>Dolichos capensis</i>	<i>Cape</i>	17	45	102	G.	yel.	6	7-8	6
297	— <i>lignosus</i>	<i>woody</i>	pur.	12	...	6
298	— <i>speciosus</i>	<i>showy</i>	6-9	1 0
299	<i>Dracoccephalum altaïense</i>	<i>Altaïe</i>	14	58	101	hpt	bl.	$\frac{1}{2}$	6-8	3
300	— <i>argunense</i>	<i>Argun</i>	1 $\frac{1}{2}$	7-9	6
301	— <i>canariense</i>	<i>Balm of Gilead</i>	p & p	2 $\frac{1}{2}$...	3
302	<i>Echinocactus</i> , 6 sp. Mex.	<i>6 Mexican sp.</i>	12	25	75	S.	div.	div.	2 6	
303	— — —	<i>3 other sp.</i>	1 0
304	<i>Echium grandiflorum</i>	<i>large-flowered</i>	5	...	72	hpt	rose	2 $\frac{1}{2}$	7-8	6
305	<i>Elichrysium macranthum</i>	<i>large-flowered</i>	19	54	82	hba	fl.	2	...	3
306	— — —	<i>6 var. separate</i>	div.	1 6
307	— — —	<i>3 Cape sp.</i>	G.	1 0
308	<i>Erica</i> , 30 sp. capensis	<i>30 Cape sp.</i>	8	25	88	div.	div.	2 6
309	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	134	hpt	li.	$\frac{1}{4}$	5-7	3
310	— <i>hispanicus</i>	<i>Spanish</i>	red	3
311	<i>Erpetion reniformis</i>	<i>(Austral. Violet)</i>	5	25	147	...	p. b.	...	5-9	6
312	<i>Erysimum alpinum</i>	<i>alpine</i>	15	61	85	hpt	yel.	1	5-7	3
313	— <i>Peroffskianum</i>	<i>Peroffski's</i>	ha	or.	1 $\frac{1}{2}$	6-9	3
314	<i>Erythrina velutina</i>	<i>velvety</i>	17	45	102	S.	sc.	15	7-9	1 0
315	<i>Erythrolæna conspicua</i>	<i>conspicuous</i>	19	53	82	hbp	...	6	6-9	6
316	<i>Eschscholzia californica</i>	<i>Californian</i>	13	29	120	hpt	yel.	2	6-8	3
317	— <i>crœca</i>	<i>orange</i>	or.	3
318	— <i>compacta</i>	<i>compact</i>	yel.	1	...	3
319	<i>Eucharidium concinnum</i>	<i>neat</i>	8	25	117	ha	pur.	...	7-8	6
320	<i>Eutœa multiflora</i>	<i>many-flowered</i>	5	...	98	...	sl.	3
321	— <i>viscida</i>	<i>(sky-blue)</i>	bl.	3
322	— <i>Wrangeliæna</i>	<i>Dr. Wrangel's</i>	li.	3
323	<i>Fedia cornucopiæ</i>	<i>Horn of plenty</i>	2	...	145	...	red	3
324	<i>Francoa appendiculata</i>	<i>appendicled</i>	8	29	...	hp	pink	1 $\frac{1}{2}$...	6
325	<i>Fumaria spicata</i>	<i>spiked</i>	17	41	91	...	flc.	6	...	3
326	<i>Funkia Sieboldti</i>	<i>Sieboldt's</i>	6	25	103	...	li.	1 $\frac{1}{2}$	6-8	6
327	<i>Gaillardia bicolor</i>	<i>two-coloured</i>	19	55	82	ha	o & b	2	...	3
328	— <i>Drummondii</i>	<i>Drummond's</i>	y & s	6
329	— <i>coccinea</i>	<i>scarlet</i>	sc.	6
330	<i>Gardénia latifolia</i>	<i>broad-leaved</i>	5	25	78	S.	yel.	6	1-5	1 0
331	<i>Gardôquia</i> , sp. ex Chilc	<i>Chilean sp.</i>	14	59	101	G.	1 0
332	<i>Genista fragrans</i>	<i>fragrant</i>	16	45	102	...	yel.	2 $\frac{1}{2}$	6-8	6
333	— — —	<i>4 fine sp. sep.</i>	y & w	2 0
334	<i>Gentiana acaulis</i>	<i>stemless</i>	5	26	93	hpt	bl.	$\frac{1}{2}$	4-7	6
335	— — —	<i>6 fine sp. m.</i>	hp	div.	2	6-8	1 0
336	<i>Gesnera splendens</i>	<i>splendid</i>	14	59	95	S.	sc.	...	7-9	1 0
337	<i>Gœum coccineum</i>	<i>scarlet</i>	12	35	131	hpt	6-9	3
338	— <i>flœre-plœno</i>	<i>double</i>	6

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.													feet		s. d.
339	Gêum coccineum splen-	splendid	12	35	131	hpt	sc.	2	6-9	6					
340	Gilia achillifolia [dens	Milfoil-leaved	5	25	123	ha	bl.	...	7-8	3					
341	capitata	bunch-flowered	b&w	3					
342	splendens	splendid	1½	...	6					
343	tenuifolia	slender-leaved	rose	6					
344	tricolor	three-coloured	3 col.	1	...	3					
345	— albo-cærulea	white and blue	w&b	3					
346	Gladiolus, 20 var.	(20 fine var.)	3	...	100	hlp	div.	2	6-9	1 6					
347	Gloriosa superba	superb	6	...	103	S.	or.	6	7-9	1 0					
348	Gloxinia rubra	red	14	59	95	...	red	1½	6-9	1 0					
349	— — — —	12 crt. fine var.	div.	1 6					
350	Glycine, sp. ex Mexico	Mexican sp.	17	45	102	6					
351	Gnaphalium, 2 sp. N. H.	2 New Holl. sp.	19	54	82	G.	1 0					
352	Godetia (Cenothera)	fine mixed	8	25	117	ha	var.	1	7-8	3					
353	bifrons	two-fronted	p&c.	3					
354	concinna	neat	p&r.	½	...	3					
355	lépida	pretty	hil.	1	...	3					
356	Lindleyana	Dr. Lindley's	w&r.	3					
357	purpurea	purple	pur.	3					
358	quadrivulnera	four-spotted	sp.	3					
359	Romanzovii	Romanzow's	pur.	3					
360	rosea	rose-coloured	hlt	rose	...	5-9	3					
361	roseo-alba	rose and white	ha	r&w	...	7-8	3					
362	rubicunda	blushing	pur.	1½	...	3					
363	Gayana	Gay's	vio.	1	...	3					
364	vinifera	twiggly	li.	3	...	3					
365	vinosa	wine-coloured	pur.	1	...	3					
366	Willdenovii	Willdenow's	flsh.	3					
367	Gompholobium, 3 sp.	(3 fine sp.)	10	...	102	G.	...	2	6-9	1 0					
368	Gossypium herbaceum	herbaceous	16	48	111	S.	6					
369	4 sp. ex India	4 Indian sp.	1 0					
370	Grindelia, sp. ex Chile	Chilean sp.	19	54	82	hlp	wh.	1	7-8	6					
371	Grislea tomentosa	downy	8	25	108	S.	red	3	5-6	6					
372	Gypsophila elegans	elegant	10	26	136	ha	w&p	¾	7-8	3					
373	Hedýchium, 2 sp.	(2 fine species)	1	25	110	S.	yel.	4	6-9	1 0					
374	Hedýsarum, 2 sp.	2 species	17	45	102	ghh	6-7	6					
375	Helénium Douglassii	Douglas's	19	54	82	ha	yel.	2	7-8	3					
376	Helianthemum, pl. sp.	(fine, mixed)	13	25	79	hpt	div.	1	6-8	1 0					
377	gutátum	spotted (Cistus)	ha	yel.	½	7-8	6					
378	Heliophila araboïdes	Arabis-like	15	61	85	hha	bl.	¾	...	6					
379	Heliotrópium peruvianum	Peruvian	5	25	72	ghh	...	2½	5-9	6					
380	sp. ex Chile	Chilean sp.	hlp	wh.	...	6-7	6					
381	Hibbertia, sp. ex N. H. *	New Holl. sp.	13	28	151	G.	yel.	5	5-8	1 0					
382	Hibiscus africanus	African	16	48	111	hha	y&b	2	7-8	3					
383	Humboldtii	Humboldt's	3					
384	Trionum	(Bladder Kelmia)	3					
385	vesicarius	bladder-flowered	3					
386	— — — —	mixed	3					
387	palustris	marsh	hpt	pink	3	...	6					
388	esculentus	esculent	S.	yel.	...	6-9	6					

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	s. d.
389	Hibiscus Mánihot	Manihot	16	48	111	hgh	y&p.	3	6-9	6
390	militaris	military	pur.	6
391	speciosus	showy	se.	1 0
392	sp. Novæ Hollandiæ	New Holl. sp.	1 0
393	— — —	6 fine sp. m.	div.	1 0
394	Hòvea Celsi	Cels'	...	45	102	G.	bl.	6	5-8	1 0
395	sp. nòva	new species	red	1 0
396	sp. ex Novæ Holland.	New Holl. sp.	1 0
397	— — —	3 fine sp.	2 6
398	Hùvea elegans [fòlia]	elegant	19	53	82	hhb	red	5	6-9	6
399	Hunnemània fumariæ-	Fumaria-leaved	13	25	120	hpt	yel.	2	7-8	6
400	Hyosciamus, 2 sp.	two species	5	...	137	ha	6
401	Ibèris Tenoreana	Tenore's	15	60	85	hpt	p & p	$\frac{3}{4}$	6-8	6
402	Impatiens glanduligera	glandular	5	25	69	hh	pur.	2 $\frac{1}{2}$	7-9	6
403	— — —	3 fine sp. m.	y & p	6
404	Indigófera eytisoïdes	Cytisus-like	17	45	102	G.	red	3	...	6
405	Inga bigémia	two-paired	23	51	...	S.	pink	20	4-6	6
406	Ipomæa bona nox**	Good Night!	5	25	83	ghh	wh.	10	6-9	6
407	coccinea**	scarlet	se.	4	...	6
408	dissecta**	cut-leaved	6	...	6
409	muricata**	muricated	pur.	10	...	6
410	polyanthes**	many-flowered	yel.	6
411	Quamoclit**	Quamoclit	se.	4	...	6
412	rubro-cærulea**	(sky-blue) extra	bl.	10	...	2 6
413	Sellowii**	Sellow's	1 6
414	tyrianthina**	bright purple	pur.	1 6
415	sp. ex N. Holl.**	New Holland sp.	6	...	6
416	sp. cærulea**	(fine blue)	bl.	10	...	1 0
417	sp. lucida**	shining	yel.	1 6
418	sp. punctata**	(Nojo Vine)	w&p	1 0
419	— — —	6 fine sp. mixed	div.	1 0
420	hederacea**	ivy-leaved	lha	bl.	4
421	Nil**	(Anil-blue)	s. b.	6
422	triloba**	(three-lobed)	pur.	4
423	Ipomopsis elegans	elegant	123	bhp+	se.	3	7-9	6
424	pieta	painted	4	...	6
425	Isopogon, 2 sp.	(2 fine sp. N. H.)	4	...	128	G.	5-7	1 0
426	Iris xiphioides	(English) ext. fine	3	...	100	hp	div.	2	6-8	1 0
427	arenaria	sand	yel.	1	...	6
428	Isotoma axillaris	axillary	5	...	107	fpt	bl.	...	7-8	6
429	Jacksônia, sp. N. Holl.	New Holland sp.	10	...	102	G.	yel.	2	5-8	1 0
430	Knantia orientalis	Oriental	4	...	87	ha	red	1	7-8	3
431	Kaulfussia amelloïdes	Amellus-like	19	54	82	lha	bl.	3
432	Keinèdia prostrata	prostrate	17	45	102	G.	se.	6	6-9	6
433	rubicunda	blushing	red	8	...	6
434	sp. cærulea	blue	bl.	1 0
435	sp. coccinea	scarlet	se.	1 0
436	Lablavia purpurea	Lablab, purple	pur.	6
437	— alba	white	wh.	6
438	Lantana Selloviàna	Sellow's	14	59	146	hhp	pur.	1 $\frac{1}{2}$...	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		s. d.
439	Lasthenia, 2 sp.	(2 fine sp.)	19	54	82	ha	yel.	2	7-8 6
440	Lasiopetalum, 2 sp. N.H.	2 New Holl. sp.	5	25	74	G.	yel.	3	5-7 1 0
441	Lavatera arborea	tree	16	48	111	hp	pur.	6	6-8 3
442	Salvitellensis	Salvitella	ha	pink	2	...
443	sp. nova	new species	hpt	6
444	Lawsonia inermis	Mignonette Tree	8	25	108	high	wh.	8	...
445	Leptosiphon densiflorus	thick-flowered	5	...	123	ha	li.	1	...
446	androsæcus	Androsæce-like	div.	4
447	— albus	white	wh.	4
448	Lencadendron argenteum	silvery	22	39	128	G.	yel.	12	7-9 1 0
449	Leucopogon, 2 sp.	2 species	5	25	152	...	wh.	3	5-6 1 0
450	Leycesteria formosa	beautiful	159	hp	w&p	6	7-9 1 0
451	Linum austriacum	Austrian	5	30	105	hpt	bl.	2	7-8 3
452	monogynum	one-styled	G.	wh.	3	...
453	Limnanthus Douglasii	Douglas'	10	25	104	ha	w&y	...	6
454	— grandiflorus	large-flowered	6
455	Lisianthus Russellianus	D. of Bedford's	5	...	93	G.	pur.	3	...
456	Loasa tricolor	three-coloured	18	48	106	ha	3col.	2	...
457	Herbertii**	Ho. Mr. Herbert's	hpt	...	6	6-8 6
458	aurantiaca**	orange	or.	...	6
459	lucida**	shining (splendid)	w&s	...	2 6
460	Pentlandica	Mr. Pentland's	3	...
461	— — —	2 fine species**	4	...
462	Lobelia azurea	azure	5	25	107	hpt	bl.	1	...
463	erinoides	Erinus-like	1/2	...
464	gracilis	slender	ha	...	1	7-8 3
465	— alba	white	wh.	...	6
466	ramosa	(beautiful)	hpt	b&w	...	6-8 1 0
467	ignea	flame-coloured	sc.	2	...
468	sp. ex Chile No. 1.	Chilean sp. No. 1.	1 0
469	sp. ex Chile No. 2.	Chilean sp. No. 2.	1 0
470	Lopèzia coronata	crown-flowered	6	...	117	ha	red	1 1/2	7-8 3
471	Lophospermum scandens	climbing**	14	59	134	G.	bish	6	7-9 6
472	Hendersoni**	Henderson's	rose
473	— spectabile**	showy	spot.
474	atrosanguineum**	(Rhodoehylon)	d. y.
475	erubescens	blushing	pur.	3	...
476	Lotus jacobæus	St. James's Island	17	45	102	...	blek.	1	...
477	Lupinus bicolor	two-coloured	16	ha	p&b.	...	7-8 3
478	Hartwegii	Hartweg's	b&w	2	...
479	mexicanus	Mexican	bl.
480	mutabilis	variable	var.	3	...
481	— Cruikshanksii	Cruikshanks'
482	nanus	dwarf	p & b	1	...
483	arboreus	tree	hpt	yel.	3	7-9 3
484	elegans	elegant	b & r.	2	...
485	grandiflorus	large-flowered	pur.
486	lèpidus	pretty (extra)	b&p.	1 1/2	...
487	plumosus	feathery	bl.	2	...
488	polyphyllus	many-leaved	3	...

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
189	Lupinus polyphyllus albus	white	16	45	102	hpt	wh.	3	s.d.
490	— — —	12 var. mixed	div.	2	...	3
491	Lycnis fulgens	shining	10	30	136	hpt	sc.	1	6
492	chalcédonica	scarlet	2	7-9	3
493	— alba et rôsea	white and rose	w & r	6
494	cœli-rôsa	Rose of Heaven	ha	fl.	1	3
495	flos-cuculi alba	Cuckoo-flower	hpt	wh.	1½	3
496	Maerôtys racemosa	bunch-flowered	13	25	129	2	6
497	Madia elegans	elegant	19	54	82	hha	yel.	3	3
498	Maloce trifida	trifid	16	48	111	...	pur.	2	3
499	— grandiflora	large-flowered	3
500	— — alba	white	wh.	3
501	Malva elegans	elegant	G.	sc.	3	6
502	Moreni	Moreni's	hpt	red	2	3
503	Niveni	Niven's	6
504	zebrina	striped	ha	st.	3	3
505	sp. ex Chile	Chilean sp.	hpt	6
506	Manilca violacea	violet	14	59	134	...	vio.	2	6
507	Martynia diandra	diandrous	135	gha	sp.	...	1 0
508	frâgrans	fragrant	var.	...	1 0
509	proboscidea	proboscis-like	p & b	...	6
510	sp. ex Mexico	Mexican sp.	1 0
511	— — —	Nos. 507 to 510	3 0
512	Maurandya Barclayana	Barclay's	134	G.	b & w	10	4-9
513	— alba	(new white)	wh.	...	1 0
514	antirrhiniiflora	Snap-dragon-fl.	p & w	8	...
515	semperflorens	ever-flowering	pink	...	6
516	rôsea	(new rose)	rose	...	1 0
517	Melaleuca, 3 sp.	three species	18	48	114	...	y & r	div.	div.
518	Melastoma macrocarpa	long-fruited	10	25	112	S.	pur.	6	6-8
519	Mesembryanthemum sp.	fine sp.	12	27	90	hpt	...	½	...
520	tricolor	3-coloured, ext.	hha	red.	...	6
521	— album	(new white) ext.	wh.	...	6
522	glabrum	(fine yellow) ext.	yel.	...	6
523	Mimosa, sp. scandens	climbing	23	51	102	S.	...	8	5-7
524	Mimulus cardinalis	scarlet	14	59	134	hpt	sc.	2	6-9
525	moschatus, novus	(new Musk)	spot.	...	3
526	— — —	finest mixed	div.	1	...
527	Myosotis arvensis, alba	(Forget-me-not)	5	25	72	ha	wh.	½	...
528	Nelumbium speciosum	showy (aquatic)	13	35	155	S.	red	...	2 6
529	Nemësia floribunda	many-flowered	14	59	134	hha	w & y	1½	7-8
530	Nemophila aurita	(large violet)	5	25	98	ha	vio.	2½	...
531	atomaria	spotted white	w. sp	1	...
532	— azurea	blue	b. sp	...	3
533	discoidalis	(white-bordered)	blk.	...	1 0
534	hybrida	hybrid	l. bl.	...	6
535	insignis	beautiful	bl.	...	3
536	— grandiflora	large-flowered	3
537	phacelioides	Phacelia-like	1½	...
538	Nerium coccineum	scarlet	66	S.	sc.	6	7-9

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
								feet		s. d.
539	Nolana atriplicifolia	<i>Atriplex-leaved</i>	5	25	137	lha	w&y	1	7-8	3
540	paradoxa	<i>paradoxical</i>	bl.	3
541	prostrata	<i>prostrate</i>	trai	...	3
542	sp. albiflora	<i>white</i>	wh.	3
543	sp. ex Andacolla	<i>(Andacolla sp.)</i>	bl.	1½	...	6
544	2 sp. novæ	<i>2 new species</i>	G.	2½	...	1 0	...
545	Nuttallia grandiflora	<i>large-flowered</i>	16	48	111	hlp	pink	2	7-9	1 0
546	Nouca rosea	<i>rose-coloured</i>	5	25	72	lha	rose	1½	7-8	6
547	Nuytsia floribunda	<i>bunch-flowered</i>	6	...	153	G.	sd.	1 6
548	Nymphæa cyanea	<i>sky-blue (aquatic)</i>	13	...	116	S.	bl.	trai	6-9	1 6
549	Lôtus	<i>(Egyptian Lotus)</i>	pink	1 6
550	Oenothera acaulis	<i>stemless</i>	8	...	117	hlp†	wh.	3
551	Drummondii	<i>Drummond's</i>	yel.	3
552	fruticosa	<i>shrubby</i>	hlp†	...	2½	...	3
553	— alba	<i>white</i>	wh.	6
554	longiflora	<i>long-flowered</i>	yel.	1½	...	3
555	macrocarpa	<i>long-fruited</i>	hlp†	...	1	6-9	6
556	odorata	<i>fragrant</i>	hlp†	...	2	5-8	3
557	taraxacifolia	<i>Taraxacum-lyd.</i>	hlp†	wh.	1½	6-9	6
558	speciosa	<i>showy</i>	1½	7-9	6
559	tetraptera	<i>four-winged</i>	ha	...	1	7-8	3
560	Ononis rotundifolia	<i>round-leaved</i>	16	45	102	hlp	pink	2	5-7	6
561	Opuntia vulgaris	<i>(Cochenille plant)</i>	12	25	75	G.	yel.	...	6-8	6
562	Oxalis floribunda	<i>bunch-flowered</i>	10	30	118	hlp†	red	1	...	6
563	rosea	<i>rose-coloured</i>	rose	6
564	Oxyura chrysanthemoides	<i>Chrysanth.-like</i>	19	54	82	ha	w&y	...	7-8	3
565	Papaver amoenum	<i>pleasing</i>	13	25	120	hlp†	ver.	2	6-9	3
566	alpinum	<i>alpine</i>	wh.	1	...	3
567	orientale	<i>Oriental</i>	red	2	...	3
568	puleherrimum	<i>most beautiful</i>	se.	3	...	6
569	Parkinsonia aculeata	<i>spiny</i>	10	...	102	S.	yel.	12	7-8	6
570	Patersonia, 3 sp. N. H.	<i>3 sp. N. Holland</i>	16	38	100	G.	b&p	1	5-7	1 6
571	Passiflora cerulea	<i>blue-flowered**</i>	...	40	121	hlp	bl.	30	6-9	6
572	alba	<i>white</i>	S.	wh.	20	...	6
573	kermesina	<i>crimson</i>	cr.	1 0
574	laurifolia	<i>laurel-leaved</i>	vio.	6
575	Pelargonium (Geranium)	<i>large packet</i>	...	42	94	G.	div.	3	...	2 6
576	— — —	<i>smaller packet</i>	1 0
577	coccineum	<i>scarlet, 4 finest</i>	se.	1 0
578	Pentstemon phœnicea	<i>crimson</i>	...	46	139	S.	...	2	7-9	6
579	Pentstemon atrorubens	<i>dark red</i>	14	59	134	hlp†	red	...	6-9	4
580	campanulatum	<i>bell-flowered</i>	pur.	3
581	digitalis	<i>Digitalis-like</i>	wh.	4
582	Chandleri	<i>Chandler's</i>	var.	4
583	diffusum	<i>diffuse</i>	pur.	3
584	gentianoides	<i>Gentian-like</i>	cr.	4
585	— coccineum	<i>scarlet</i>	se.	6
586	pulchellum	<i>pretty, 3 var.</i>	div.	6
587	roseum	<i>rose-coloured</i>	rose	4
588	speciosum	<i>showy</i>	bl.	1 0

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
589	<i>Pereskia acuminata</i>	pointed	12	25	75	G.	wh.	5	8-9	6
590	<i>Petróphila</i> , 3 sp.	(3 fine species)	4	...	128	6-8	1 0
591	<i>Petúnia phœnicea</i>	purple	5	...	137	hbp†	pur.	2½	6-9	6
592	— <i>alba grandiflora</i>	large white	wh.	6
593	— <i>rosea</i>	rosy	rose	6
594	— <i>violæcea</i>	violet	vio.	6
595	<i>nyctaginiflora</i>	(common white)	wh.	3
596	— — —	fine mixed	div.	6
597	— — —	splendid, mixed	1 0
598	<i>Phacelia congesta</i>	crowded-flowd.	98	ha	bl.	2	7-8	3
599	<i>conspicua</i>	conspicuous	3
600	<i>tanacetifolia</i>	Tansy-leaved	3
601	<i>Phlox Drummondii</i>	Drummond's (20	123	hha	div.	1½	7-9	1 0
602	<i>coccinea</i>	scarlet [var.]	sc.	1 0
603	pl. sp. <i>perennans</i>	sev. per. species	hpt†	div.	2	6-9	1 0
604	<i>Phyllanthus</i> , sp. N. Hol.	New Holland sp.	21	48	89	G.	...	6	...	1 0
605	<i>Physianthus albens</i>	white	5	26	68	...	wh.	8	5-9	1 0
606	<i>Pimelæa</i> , 3 sp.	(3 fine species)	2	25	141	...	w & r	2	...	1 0
607	<i>Pittosporum</i> , sp. [eum]	(fine species)	5	...	122	6
608	<i>Platystemon californi-</i>	<i>Californian</i>	13	...	120	ha	ycl.	¾	6-8	6
609	<i>Podalyria</i> , 2 sp. <i>capensis</i>	2 Cape species	10	...	102	G.	pur.	6
610	<i>Podotheca capitata</i>	head-flowered	19	54	82	...	ycl.	2	5-8	1 0
611	<i>Podolæpis gracilis</i>	stender	hha	p & w	½	7-8	6
612	<i>Poinciana pulcherrima</i>	(two varieties)	10	25	102	S.	...	10	6-9	1 0
613	sp. ex <i>Chile et Mex.</i>	(two species)	1 0
614	<i>Polygala myrtifolia</i>	myrtle-leaved	17	43	124	G.	pur.	3	5-8	6
615	<i>Portulaca grandiflora</i>	(large-flowered)	11	25	126	hha	var.	½	7-9	6
616	<i>Gilliesii</i>	Gillies'	cr.	6
617	<i>Thellusoni</i>	Thelluson's	sc.	1 0
618	<i>splendens</i>	splendid	c & w	1 0
619	<i>Potentilla formosa</i>	beautiful	12	35	131	hpt†	pur.	1½	...	3
620	<i>atrosanguinea</i>	dark red	red	3
621	<i>Mackayana</i>	Mackay's	ycl.	1	...	3
622	<i>splendens</i>	splendid	6
623	— — —	fine mixed	div.	6
624	<i>Primula cortusoides</i>	Cortusa-like	5	25	127	fgh	red	½	5-7	6
625	<i>sinensis, fimbriata</i>	fringed Chinese	w & r	1	...	1 0
626	<i>Psoralea</i> , sp. <i>capensis</i>	Cape species	17	45	102	G.	bl.	2	6-8	6
627	<i>Pultenea</i> , 3 sp.	(3 fine species)	10	25	ycl.	...	4-6	1 0
628	<i>Ranonda pyrenæica</i>	Pyrenean	5	...	137	hpt†	pur.	¼	6-8	6
629	<i>Rammennus asiaticus</i>	(ext. fine, mixed)	13	35	129	hp	div.	1	...	1 0
630	<i>Rhodanthe Manglesi</i>	Capt. Mangles'	19	54	82	hha	rose.	6
631	sp. <i>cyanea</i>	blue-flowered	bl.	1 0
632	<i>Rhododendron</i> , pl. sp.	several species	10	25	88	hp	div.	1 0
633	<i>Roella elegans et ciliata</i>	Roella, 2 sp.	5	...	76	fgh	p & b	1	6-8	6
634	<i>Rudbeckia elegans</i>	elegant	19	55	82	hpt†	or.	2	7-8	6
635	<i>amplexicaulis</i>	stem-clasping	hha	ycl.	3
636	<i>intermedia</i>	intermediate	hpt†	...	3	...	4
637	<i>pinnata</i>	pinnate	4
638	<i>Salpiglossis atropurpurea</i>	dark purple	14	59	137	hbb†	pur.	2	6-9	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	O.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.	O.				s. d.
639	Salpiglossis picta	painted [20 v.	14	59	137	hbb+	var.	2	6-9	6
640	— — —	splendid, mixed	div.	1 0
641	Saponaria calabrica	Calabrian	10	26	136	la	pink	$\frac{3}{4}$	7-8	6
642	ocymoides	Ocyma-like	hpt	5-9	6
643	Salvia bicolor	two-colored	2	25	101	...	b&w	3	6-9	3
644	coccinea	scarlet	sc.	2	...	6
645	limbata	bordered [did]	bor.	$2\frac{1}{2}$...	3
646	pätens	spreading (splen-	bl.	3	...	1 0
647	Tendri	Tenore's	2	...	3
648	Sauvitalia procumbens	proeambent	19	54	82	lha	yel.	trail	...	6
649	Scabiosa elegans	elegant	4	25	87	lp	bl.	2	7-9	6
650	Schizanthus Grahami	Graham's	14	59	134	hbb+	l & y.	6
651	retusus	blunt- (leaved)	c & y.	6
652	— superbus	superb	s & y.	1 0
653	pinnatus	pinnate	lha	l.p.y.	$1\frac{1}{2}$	7-8	3
654	— humilis	dwarf	l.r.y.	1	...	3
655	— porrigens	spreading	l.p.y.	3
656	— Priestii	Priest's	w & y.	3
657	— pulchellus	pretty	w & p.	3
658	— venustus	beautiful	dark	3
659	sp. ex Chile	Chilean sp.	pur.	1 0
660	— — —	fine mixed	div.	6
661	Schizopetalon Walkeri	Walker's	15	61	85	...	wh.	6
662	Scutellaria alpina	alpine	14	58	101	hpt	b&w	$\frac{3}{4}$	6-8	3
663	gorgonia	Gorgon	6
664	splendens	splendid	1 0
665	Scyptanthus elegans	elegant	18	48	106	6
666	Silene fimbriata	fringed	10	28	136	...	wh.	$2\frac{1}{2}$	5-8	6
667	pendula	pendulous	ha	rose	1	7-8	3
668	regia	(scarlet)	hpt	sc.	$1\frac{1}{2}$	6-9	6
669	Sinningia, sp.	(fine species)	14	59	95	S.	...	2	7-9	6
670	Sisyrinchium anceps	two-edged	3	25	100	lp	bl.	1	6-9	3
671	Solanum, sp. ex Chile	Chilean species	5	...	137	hbp	6
672	Sollya heterophylla**	various-leaved	122	G.	bl.	6	6-9	6
673	sp. ex N. Hollandia	New Holland sp.	1 0
674	Sóphora, sp. ex Anguilla	Anguilla sp.	10	...	102	...	yel.	3	7-9	6
675	Sphærogyne speciosa	showy	19	55	82	lha	y & b	$1\frac{1}{2}$...	6
676	Spherolobium, sp. ex N. H.	New Holland sp.	10	25	102	G.	...	2	5-8	6
677	Stachys coccinea	scarlet	14	58	101	hhpt	sc.	$1\frac{1}{4}$	6-8	6
678	speciosa	showy	1	...	6
679	Statice latifolia	broad-leaved	5	30	156	hp	bl.	...	5-7	6
680	Stenactis speciosa	showy	19	54	82	hpt	pur.	2	6-8	3
681	Stenochilus, sp. ex N. H.	New Holland sp.	14	59	154	G.	red	6
682	Stevia serrata	serrated	19	54	82	hp	wh.	$1\frac{1}{2}$...	3
683	Stipa pennata	(Feather Grass)	3	26	92	...	gr.	2	7-9	6
684	Streptocarpus Rexii	Rex's	2	25	71	G.	bl.	$\frac{1}{2}$	6-8	6
685	Stylidium, 2 sp. N. Holl.	2 sp. N. Holl.	20	37	140	...	pink	$1\frac{1}{2}$...	1 0
686	Sutherlandia frutescens	shrubby	17	45	102	hhpt	sc.	3	...	3
687	Swainsonia galegifolia	Galega-leaved	G.	red	2	7-8	6
688	Tagetes lucida	shining	19	54	82	fgh	yel.	1	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded,		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
689	Tagetes sequata (new orange)	19	54	82	hha	or.	1	7-8	6
690	Tephrosia, 2 sp. capensis 2 Cape species	17	45	102	G.		2	...	6
691	Thermopsis fabacea Fabia-like	10	25	...	hpt	yel.	...	6-8	3
692	Thunbergia alata winged	2	...	62	gha	buff	5	6-9	6
693	— alba white	w&b	6
694	— aurantiaca orange	or.	6
695	— Barkeri Barker's	wh.	6
696	Thysanotus, sp. N. Hol. New Holland sp.	6	...	103	...	pur.	...	6-8	6
697	Tigridia Pavonia (Tiger-flower)	16	38	100	hbp	o&r.	1	7-9	6
698	sp. cyanea blue species	bl.	1 0
699	Tithonia tagetiflora Tagetes-flowered	19	55	82	G.	yel.	4	...	6
700	Traehcium caeruleum blue	5	25	76	hbp	bl.	2	7-8	6
701	Tradescantia erecta erect	6	...	81	ha	3
702	Trixis senecioides Senecio-like (new)	19	56	82	hha	wh.	6
703	Tropaeolum brachyceras short-horned	8	25	143	G.	yel.	6	6-9	1 0
704	Jarattii Mr. Jarratt's	s&y.	1 0
705	pentaphyllum five-leaved	o&y.	6
706	peregrinum foreign	yel.	3
707	tricolorum three-coloured	o&p	1 0
708	Tweedia caerulea blue	5	26	68	...	bl.	3	7-8	6
709	Valerianella congesta crowded-flowd.	3	25	145	ha	red	1	...	3
710	Verbascum formosum beautiful	5	...	137	hpt	yel.	2	7-9	3
711	Lagurus hare's-tail, ext.	6
712	orientale Oriental	yel.	3
713	speciosum showy	4	...	3
714	Verbena Aubletia Aublet's	14	59	146	hbb	li.	1	6-9	6
715	pulchella pretty	bl.	6
716	venosa veined	rose	6
717	— — — finest mixed	div.	1 0
718	sp. ex Chile Chilean species	yel.	1½	...	1 0
719	Viminaria, sp. N. Holl. New Holland sp.	10	25	102	G.	...	3	...	6
720	Vinca rosea et alba rose and white	5	...	66	S.	w&r.	1	3-9	6
721	Xanthorrhæa, sp. N. Holl. New Holland sp.	6	...	103	G.	wh.	2	5-7	6
722	Yucca, sp. ex Mexico Mexican species	1 0
723	Zinnia elegans elegant	19	54	82	hha	vio.	2	7-9	6
724	— alba white	wh.	6
725	— atrococcinea deep scarlet	d. s.	6
726	— atropurpurea deep purple	pur.	6
727	— coccinea scarlet	se.	6
728	— crœcea orange	or.	6
729	— kermesina crimson	erim	6
730	— lutea yellow	yel.	6
731	— — — splendid, 30 var.	div.	1 0
732	aurea golden yellow	yel.	3
733	grandiflora large-flowered	red	3
734	Zephyranthes sessilis sessile	6	25	64	fp.	rose	1	6-7	1 0

See Additional Seeds,
pages 25 and 26.

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Flos Adonis, White Candytuft, &c., having no affinity with the Latin, are not to be considered as translations.

A — is employed to indicate varieties. — — indicate sub-varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
735	Adonis, Flos	<i>Addis æstivâlis</i>	13	35	129	ha	sc.	1	7-8	3
736	autumnal	<i>autumnâlis</i>	cr.	3
737	Aster, Chinese, m.	<i>Aster sinensis, pt. var.</i>	19	54	82	lha	djv.	2	8-10	3
738	6 var. mixed	— — —	3
739	German, quilled	— <i>festuosus</i>	6
740	blue and white	— <i>cæruleo-albus</i>	b & w	4
741	dark blue	— <i>atro-cæruleus</i>	d. b.	4
742	dark red	— <i>atrorubens</i>	d. r.	4
743	light blue	— <i>late-cæruleus</i>	l. b.	4
744	new globe, 10 var.	— <i>globosus, novus</i>	div.	...	1	0
745	red and white	— <i>rubro-albus</i>	r & w.	4
746	rose	— <i>roseus</i>	rose	4
747	striped	— <i>striatus</i>	str.	4
748	Turkey [ed	— <i>turcicus</i>	red	4
749	Anemone-flower-	— <i>anemonæflorus</i>	div.	4
750	pyramidal	— <i>pyramidâlis</i>	4
751	early dwarf	— <i>nanus præcox</i>	1	7-9	4
752	Auricula, fine Alpine	<i>Primula Auricula</i>	5	25	127	hp	...	½	5-7	6
753	extra fine	— — —	hbp	2	6
754	Balsam, finest mixed	<i>Balsamina hortensis</i>	69	ta	...	2	7-9	6
755	Camellia-flower'd	— <i>Camelliæflora</i>	6
756	flesh-coloured	— <i>carnea</i>	flesh	4
757	rose	— <i>rosea</i>	rose	4
758	scarlet	— <i>coccinea</i>	sc.	4
759	purple	— <i>purpurea</i>	pur.	4
760	new dotted	— <i>punctata nova</i>	div.	6
761	new striped	— <i>striata nova</i>	6
762	white	— <i>alba</i>	wh.	4
763	dwarf scarlet	— <i>nana coccinea</i>	sc.	1	...	4
764	mixed dwarf	— — —	div.	6
765	Cape Marigold	<i>Calendula pluvialis</i>	19	56	82	ha	w & p	...	7-8	3
766	large hybrid	<i>hybrida</i>	wh.	3
767	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	85	6-8	3
768	purple	— <i>umbellata</i>	pur.	3
769	Normandy	— <i>major</i>	3
770	new crimson	— <i>phœnicea</i>	cr.	3
771	superb	— <i>superba</i>	red	3
772	new rocket	— <i>coronaria</i>	wh.	6
773	white (bitter)	— <i>amara</i>	3
774	mixed [var.	— — —	div.	3
775	Capsicum, 12 fine	<i>Capsicum annuum</i>	5	25	137	ta	fruit	2	7-9	1 0
776	Carnation, mixed	<i>Dianthus Caryophyl-</i>	10	26	136	hp	div.	...	6-8	3
777	double	— — — [lus	1 0
778	finest German	— — —	6
779	Pieotee	— — —	6

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
780	Picotee, ext. fine G.	<i>Dianthus Caryophyll.</i>	10 26	136	hp	div.	2	6-8	2 6
781	Catchfly, Lobel's red	<i>Silene Armeria</i> [tus	... 28	...	ha	red	1	...	3
782	white	— <i>alba</i>	wh.	3
783	Cockcomb, dwarf	<i>Cebotia cristata, nana</i>	5 25	63	ta	cr.	...	7-9	6
784	Giant	— <i>gigantica</i>	1 $\frac{1}{4}$...	6
785	rose-bordered	— <i>rosco-cincta</i>	r. b.	6
786	white-bordered	— <i>albo-cincta</i>	w. b.	6
787	yellow-bordered	— <i>luteo-cincta</i>	y. b.	6
788	yellow	— <i>lutea</i>	yel.	6
789	fine mixed [ed	— — —	div.	6
790	Columbine, fine mix-	<i>Aquilegia vulgaris</i>	13 30	129	hp	...	2	5-7	3
791	Chrysanthemum, tr.	<i>Chrysan. carinatum</i>	19 54	82	ha	3col.	1	7-8	3
792	new golden	— <i>luteum</i>	yel.	3
793	showy	<i>speciosum</i>	3
794	yel. and white m.	<i>coronarium</i>	y & w	2 $\frac{1}{2}$...	3
795	Clary, red and pur.	<i>Salvia Hornum</i>	2 25	101	...	r & p.	1 $\frac{1}{2}$...	3
796	Convolvulus minor	<i>Convolvulus tricolor</i>	5 ...	83	...	bl.	tra	...	3
797	white var.	— <i>alba</i>	wh.	3
798	mixed minor	— — —	b & w	3
799	new purple	<i>purpurea nova</i>	pur.	1 0
800	major mixed**	<i>Ipomoea purpurea</i>	hha	div.	10	7-9	3
801	ext. fine, 16 var.**	— — —	1 0
802	dark violet**	— <i>atroviolacea</i>	d.v.	3
803	spotted**	— <i>punctata</i>	spot.	3
804	striped**	— <i>striata</i>	str.	3
805	rose**	— <i>rosea</i>	rose	3
806	white**	— <i>albiflora</i>	wh.	3
807	Cowslip, fine mixed	<i>Primula veris</i>	...	127	hpt	div.	$\frac{3}{4}$	4-6	3
808	Cyanus, fine mixed	<i>Centaura Cyanus</i>	19 55	82	ha	...	2	7-9	3
809	Egg Plant, purple	<i>Solanum ovigerum</i>	5 25	137	ta	p. fr.	3
810	white	— <i>leucocarpum</i>	wh. f.	3
811	mixed	— — —	w & p	3
812	Dahlia, finest double	<i>Dahlia variabilis</i>	19 54	82	hhpt	div.	4	7-10	1 0
813	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10 25	132	hp	red	3	5-7	3
814	white	— <i>florc-albo</i> [rium	wh.	3
815	French Honeysuckle	<i>Hedysarum Coronat.</i>	17 45	102	hhpt	red	4	6-7	3
816	white	— <i>albiflorum</i>	wh.	3
817	Globe Amaranthus	<i>Gomphrena globosa</i>	5 25	63	ta	pur.	2	7-9	3
818	flesh-coloured	— <i>carnea</i>	flesh	3
819	striped	— <i>striata</i>	str.	3
820	white	— <i>alba</i>	wh.	3
821	fine mixed	— — —	div.	6
822	Gourds, Bottle	<i>Cucurbita lagenaria</i>	21 49	86	hha	wh.	tra	...	6
823	Hercules' Club	— <i>clavata</i>	6
824	orange	<i>aurantia</i>	yel.	3
825	finest mixed	— — —	y & w	6
826	striped pear	<i>ovifera, var.</i>	yel.	3
827	Mammoth	<i>Pepo</i>	6
828	Hawkweed, yellow	<i>Tolpis barbata</i>	19 53	82	ha	...	1	7-8	3
829	silvery	— <i>argentea</i>	wh.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	It. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
830	Hawkweed, purple	<i>Crēpis rubra</i>	19	53	82	ha	pur.	1	7-8	3
831	new white	— <i>alba</i>	wh.	3
832	Heartsease, ext. fine	<i>Viola tricolor</i>	5	25	147	hpt	div.	...	6-9	1 0
833	Hollyhock, ft. Germ.	<i>Althæa rosea</i> , 20 var.	16	48	111	hp	...	7	...	1 0
834	black	— <i>nigra</i>	blk.	3
835	dark red	— <i>atrorubens</i>	d. r.	3
836	pink	— <i>rubella</i>	pink	3
837	purple	— <i>purpurea</i>	pur.	3
838	rose	— <i>rosea</i>	rose	3
839	sulphur	— <i>sulphurea</i>	snl.	3
840	white	— <i>alba</i>	wh.	3
841	yellow	— <i>lutea</i>	yel.	3
842	Antwerp	<i>ficifolia</i>	buff	3
843	Chinese	<i>chinensis</i>	div.	3½	...	6
844	16 fine var. sep.	— — —	7	...	3 6
845	Horu Poppy, scar.	<i>Glaucium phœniceum</i>	13	25	120	ha	se.	2	7-8	3
846	violet	<i>Ranunculus lybrius</i>	vio.	1½	...	3
847	3 var.	— — — <i>crystallinum</i>	div.	3
848	Ice Plant	<i>Mesembryanthemum</i>	12	27	90	hlt	wh.	trai	5-8	3
849	Jacobæa, purple	<i>Senecio elegans</i>	19	54	82	...	pur.	1½	7-9	3
850	white	— <i>alba</i>	wh.	3
851	double crimson	— <i>kermesina plena</i>	cr.	4
852	— purple	— <i>purpurea</i>	pur.	4
853	— violet	— <i>violacea</i>	vio.	4
854	— Mulberry	— <i>moricolor</i>	mul.	4
855	— white	— <i>alba</i>	wh.	4
856	fine mixed	— — —	div.	6
857	Larkspur, dwarf, m.	<i>Delphinium Ajacis</i>	13	28	129	ha	...	1	7-8	3
858	per ounce	— — —	1 0
859	dwarf, blue-gray	<i>humile, caesium</i>	slate	3
860	— blue	— <i>caeruleum</i>	bl.	3
861	— purple	— <i>purpureum</i>	pur.	3
862	— rose	— <i>roseum</i>	rose	3
863	— white	— <i>album</i>	wh.	3
864	tall, finest mixed	<i>elatior</i>	div.	1½	...	3
865	— blue	— <i>caeruleum</i>	bl.	3
866	— new brown	— <i>fuscum novum</i>	br.	3
867	— rose	— <i>roseum</i>	rose	3
868	branching	<i>Consolida</i>	div.	2	...	3
869	— blue	— <i>caeruleum</i>	bl.	3
870	— rose	— <i>roseum</i>	rose	3
871	fine m. perennial	— — —	hpt	div.	3	7-9	3
872	Lavatera, red	<i>Lavatera trimestris</i>	16	48	111	lt	red	...	7-8	3
873	white	— <i>albus</i>	wh.	3
874	Love lies bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	trai	7-9	3
875	buff or white	— <i>pallidus</i>	buff	3
876	Lupines, Dutch blue	<i>Lupinus canaliculatus</i>	16	45	102	...	bl.	2	...	3
877	large blue	<i>hirsutus</i>	3
878	— rose	<i>pilosus</i>	rose	3
879	small blue	<i>angustifolius</i>	bl.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet	s. d.	
880	Lupines, white	<i>Lupinus albus</i>	16 45	102	ha	wh.	2	7-9	3
881	yellow	<i>luteus</i>	yel.	1½	...	3
882	straw	— <i>stramineus</i>	strw.	3
883	mixed	— — —	div.	3
884	Mallow, 6 sp. sep.	<i>Malva, 6 sp.</i>	... 48	111	2	...	1 6
885	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19 54	82	hha	3
886	— dwarf	— <i>humilis</i>	d. br.	1	...	3
887	— tall	— <i>grandis</i>	br&y	2	...	3
888	— superb striped	— <i>striata superba</i>	str.	6
889	— unique	— <i>striata simplex</i>	3
890	African fine mix.	<i>erecta, fl. pl.</i>	o & y.	2½	...	3
891	— new dwarf	— <i>humilis nova</i>	or.	1¼	...	3
892	— lemon	— <i>citrina</i>	lem.	2½	...	3
893	— orange	— <i>aurantiaca</i>	or.	3
894	Marvel of Peru, m.	<i>Mirabilis Jalapa</i>	5 25	115	hlp†	div.	3	...	3
895	— red	— <i>rubra</i>	red	3
896	— red-striped	— <i>striata</i>	r. st.	3
897	— yellow	— <i>flava</i>	yel.	3
898	— yellow-striped	— <i>striata</i>	y. st.	3
899	— white	— <i>alba</i>	wh.	3
900	— three-colour'd	— <i>tricolor</i>	3col.	3
901	hybrid	<i>hybrida</i>	red.	3
902	long-tubed, sweet	<i>longiflora</i>	wh.	3
903	— purple	— <i>purpurea</i>	pur.	3
904	Monkshood	<i>Aconitum Napellus</i>	13 28	129	hlp†	bl.	2	...	3
905	Mignonette, oz. 6d.	<i>Reseda odorata</i>	11 ...	130	ha	buff	1½	...	3
906	Nasturtions, dwarf	<i>Tropaeolum minus</i>	8 43	143	...	o & s. tra	3
907	common dwarf	— <i>dubium</i>	or.	3	...	3
908	tall**	<i>Majus</i>	o & y.	6	...	3
909	new sulphur**	— <i>sulphureum</i>	sul.	4
910	dark red**	— <i>atrosanguineum</i>	cr.	3
911	new spotted**	— (<i>Shillingii</i>)	spot.	4
912	Palma Christi	<i>Ricinus major</i>	21 49	89	hlp†	pale	3
913	Peas, Tangier, scarl.	<i>Lathyrus tingitanus</i>	17 45	102	ha	sc.	4	...	3
914	— striped	— <i>striatus</i>	str.	3
915	Lord Anson's, 2 v.	<i>magellanicus</i>	b & w	5	...	3
916	winged, 2 var.	<i>Tetragonolobus</i>	s & y.	1	...	3
917	Sweet, 6 var.	<i>Lathyrus odoratus</i>	div.	4	...	1 3
918	finem. p. lb. 2s. 6d.	— — —	2 6
919	black	— <i>nigrus</i>	bla.	3
920	painted Lady	— <i>pictus</i>	var.	3
921	purple	— <i>purpureus</i>	pur.	3
922	scarlet	— <i>coccineus</i>	sc.	3
923	striped	— <i>striatus</i>	str.	3
924	white	— <i>albus</i>	wh.	3
925	Persicaria	<i>Polygonum orientale</i>	8 28	125	...	pur.	6	...	3
926	white	— <i>album</i>	wh.	3
927	Polyanthus, fine m.	<i>Primula elatior, var.</i>	5 25	127	hlp†	div.	1	4-6	3
928	extra fine	— — —	1 0
929	Pink, common	<i>Dianthus moschatius</i>	10 26	136	hp	6-8	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
930	Pink, finest double	<i>Dianthus moschatius</i>	10	26	136	hp	div.	1	6-8	1 0
931	Poppy, double, 20 f. v.	<i>Papaver somniferum</i>	13	25	120	ha	...	2½	7-9	3
932	black	— <i>nigrum</i>	bla.	3
933	blush	— <i>roseum</i>	pink	3
934	carnation	— <i>caryophylloides</i>	str.	3
935	fringed, 3 var.	— <i>fimbriatum</i>	div.	3
936	new rose	— <i>roseum novum</i>	str.	3
937	scarlet	— <i>coccineum</i>	sc.	3
938	white	— <i>album</i>	wh.	3
939	dwarf French	<i>Rheas, fl. pl.</i>	div.	1	...	3
940	Chinese	— <i>coccineum, &c.</i>	3
941	Primrose, mixed	<i>Primula acaulis</i>	5	...	127	hpt	...	½	4-6	6
942	Prince's Feather	<i>Amaranthus hypocoon-</i>	21	40	63	ha	pur.	2½	7-9	3
943	new Giant	<i>speciosus [dracus]</i>	3
944	Quaking Grass	<i>Briza maxima</i>	3	26	92	...	gr.	1½	...	3
945	Rocket, sweet	<i>Hesperis tristis</i>	15	61	85	hp	pale	...	5-8	3
946	purple	— <i>matronalis</i>	pur.	3
947	Rose Campan	<i>Agrostemma Githago</i>	10	30	136	ha	cr.	2	7-8	3
948	Scabious, fine dwarf	<i>Scabiosa nana</i>	4	25	87	...	div.	1	7-9	3
949	dark purple	— <i>atropurpurea</i>	hpt	pur.	2	...	3
950	mixed	— — —	div.	3
951	new large-flow'd	— <i>grandiflora</i>	6
952	starry	— <i>steltata</i>	ha	bl.	3
953	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	102	gha	pink	1½	6-9	6
954	Snapdragon, fine m.	<i>Antirrhinum Majus</i>	14	59	134	hpt	div.	2	...	3
955	Carnation	— <i>caryophylloides</i>	str.	6
956	beautiful	— <i>formosum</i>	var.	6
957	new pink	— <i>roseum novum</i>	pink	3
958	painted	— <i>pictum</i>	rc&y.	3
959	scarlet	— <i>coccineum</i>	sc.	3
960	yellow	— <i>flavum</i>	yel.	3
961	purple	— <i>purpureum</i>	pur.	3
962	white	— <i>album</i>	wh.	3
963	Snake Melon	<i>Cucumis flexuosus</i>	21	49	86	fa	yel.	tra	...	6
964	Spanish Broom	<i>Spartium junceum</i>	16	45	102	hp	...	3	...	3
965	Portugal Broom	<i>Cytisus albus</i>	wh.	3
966	Stock, Ten-week	<i>Mathiola annua, 10 v.</i>	15	61	85	hha	div.	1¼	...	6
967	scarlet	— <i>coccinea</i>	cr.	3
968	new large	— — <i>major</i>	2	...	6
969	new scarlet	— — <i>nova, ext.</i>	1¼	...	6
970	purple	— <i>purpurea</i>	pur.	3
971	dark purple	— <i>atropurpurea</i>	d. p.	3
972	white	— <i>alba</i>	wh.	3
973	— giant	— — <i>major</i>	2	...	6
974	new Victoria	— <i>Victoriae</i>	pur.	1¼	...	3
975	Nos. 966 to 974	— — —	div.	2 6
976	Stock, Germ. 20 var.	<i>annua, densiflora</i>	1	...	6
977	large packet	— — —	1 0
978	dwarf carmine	— — <i>miniata</i>	car.	6
979	— dark blue	— — <i>atro-caerulea</i>	d. b.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										<i>s. d.</i>
980	Stock, Ger., l. blue	<i>M. a. late-cærulea</i>	15	61	85	hha	l. b.	1	6-9	6
981	— crimson	— — <i>kermesina</i>	cr.	6
982	— new dark	— — <i>atrorubens</i>	red	6
983	— new yellow	— — <i>lutea nova</i>	yel.	6
984	— peach-bloss.	— — <i>persiciflora</i>	peh	6
985	— rose-colour'd	— — <i>rosea</i>	rose	6
986	— violet	— — <i>violacea</i>	vio.	6
987	— white	— — <i>alba</i>	wh.	6
988	Nos. 978 to 987	— — —	div.	4 0
989	wallfl.-leaved, 6v	— <i>cheirifolia</i>	6
990	Autumnal, 12 v.	— <i>autumnalis</i>	1 $\frac{3}{4}$	8-10	6
991	Stock, Queen, pur.	<i>incana</i>	hhb	pur.	2	5-8	3
992	scarlet	— <i>coccinea</i>	se.	3
993	white	— <i>alba</i>	wh.	3
994	fine mixed	— — —	div.	3
995	Stock, Brompton	<i>simplicicaulis</i>	se.	3	...	3
996	white	— <i>alba</i>	wh.	3
997	purple	— <i>purpurea</i>	pur.	3
998	crimson	— <i>miniata</i>	ear.	6
999	copper	— <i>kermesina</i>	erim	6
1000	violet	— <i>cyprea</i>	cop.	6
1001	— dark	— <i>violacea</i>	vio.	6
1002	— dark	— <i>atro-violacea</i>	d. v.	6
1003	white German	— <i>alba var.</i>	wh.	6
1004	imperial, 2 var.	<i>imperialis</i>	hhp	r&p.	2	6-10	6
1005	Sunflower, double	<i>Helianthus annuus, fl.</i>	19	55	82	ha	yel.	4	7-9	3
1006	Giant	— <i>giganteus</i>	7	...	3
1007	tall	— <i>majus</i>	6	...	3
1008	dwarf	— <i>nanus</i>	2	...	3
1009	freckled	<i>lenticularis</i>	4	...	3
1010	Nos. 1005 to 1009	— — —	div.	1 0
1011	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	85	hpt	wh.	1	6-9	3
1012	Sweet Sultan, pur.	<i>Amberboa moschata</i>	19	55	82	hha	pur.	2	7-9	3
1013	white	— <i>alba</i>	wh.	3
1014	yellow	<i>suaveolens</i>	yel.	3
1015	blush	<i>Crocodylion</i>	flesh	3
1016	Nos. 1012 to 1015	— — —	div.	1 0
1017	Sweet William, 20v.	<i>Dianthus barbatus,</i>	10	26	136	hp	6-8	6
1018	fine scarlet	— <i>coccineus</i>	se.	6
1019	Venus' Looking-	<i>Prismatocarpus Spé-</i>	5	25	76	ha	bl.	1	7-8	3
1020	5 var. s. [Glass	— — — [cubum	div.	1 0
1021	Venus' Navelwort	<i>Cynoglossum linifoli-</i>	72	...	wh.	3
1022	Violet, sweet-scent-	<i>Viola odorata</i> [um	147	hpt	div.	...	4-7	6
1023	Russian [ed	— <i>ruthenica</i>	6
1024	Virginian Stock, red	<i>Malcolmia maritima</i>	15	61	85	ha	vio.	$\frac{1}{2}$	7-8	3
1025	white	— <i>alba</i>	wh.	3
1026	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	br.	2	5-8	3
1027	double dark	— <i>flöre-pleno</i>	6
1028	— dwarf	— — <i>nana</i>	1	...	6
1029	— blue	— — <i>cærulea</i>	bl.	2	...	1 0

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										s. d.
1030	Wallflower, d. violet	<i>Cheiranthus Cheiri, v.</i>	15	61	85	hp	vio.	2	5-8	6
1031	Chameleon	— <i>variabilis</i>	var.	3
1032	purple	— <i>purpurea</i>	lil.	6
1033	yellow	— <i>flava</i>	yel.	3
1034	Nos. 1026 to 1033	— — —	div.	...	3 0	
1035	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	137	ha	wh.	2½	7-9	3
1036	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	82	hha	pur.	2	7-8	3
1037	white	— <i>album</i> [teatum	wh.	3
1038	yellow	<i>Elichrys. sum</i> brac-	yel.	3
1039	new white	— <i>album, novum</i>	wh.	3
1040	new straw-col.	— <i>stramineum</i>	sun.	3
1041	Nos. 1036 to 1040	— — —	div.	1 0
1042	Zinnia, 6 sorts mix.	<i>Zinnia, 6 sp. et var.</i>	7-9	6

ADDITIONAL SEEDS.

No.	H. & Dur.	Price.	No.	H. & Dur.	Price.
		s. d.			s. d.
1043	Acacia, sp. ex Mexico, wh.	G. 1 0	1072	Comesperma, sp. S. River	G. 1 0
1044	Alstroemeria Barclayana	... 1 0	1073	Commelina celestis, alba	hlp† 1 0
1045	Cumingiana	... 1 0	1074	Crotolaria, sp. ex Chile	hha 6
1046	Hookeri	... 1 0	1075	Cyclamen persicum	hp 6
1047	pallida	... 1 0	1076	Cypella Herbertiana	fgh 6
1048	Anthericum annuum	ha 3	1077	Cytisus nigricans	hp 6
1049	Aquilegia vulgaris, striata	hp 3	1078	racemosis	... 6
1050	Atragene austriaca	... 6	1079	Dianthus barbatus, fl. pl.	... 6
1051	capensis	G. 6	1080	Eryngium giganteum	... 6
1052	Bixa orellana	S. 6	1081	Fuchsia, 6 fine sp.	... 1 0
1053	Boerhaavia, sp. ex Chile	hha 6	1082	Gaillardia, 4 sp. mixed	hha 6
1054	Bowlisia, sp. Andes	... 6	1083	Gardouquia, sp. ex Valpa-	G. 6
1055	Brunia globosa	G. 6	1084	Gesnera, sp. nova [raiso	S. 1 0
1056	Cactus speciosissimus	S. 6	1085	Gloxinia caulescens	... 6
1057	Calecolaria, 4 sp. Andes	fgh 1 0	1086	maxima	... 6
1058	Calendula officinalis su-	ha 6	1087	Helianthus, sp. ex Chile	hha 6
1059	Calochortus luteus [perba	fgh 1 0	1088	Libbertia, 2 fine sp.	G. 1 0
1060	Camassia esculenta	hp 1 0	1089	Hypocrepium elegans	hbp 6
1061	Campánula striata	hlp† 6	1090	sp. Nova Hollandiae	... 6
1062	speciosa	... 6	1091	Incarvillea sinensis	G. 1 0
1063	Casuarina, sp. Swan River	G. 6	1092	Lobelia longiflora	S. 6
1064	Cassia, 4 fine sp.	S. 6	1093	propinqua	hlp† 6
1065	Centaurea chilensis, fine	hha 6	1094	Lathyrus azureus, &c. 4 sp.	h 1 0
1066	sp. ex Mendoza	... 6	1095	Linaria, 10 fine sp.	ha 2 0
1067	Chironia decussata	G. 6	1096	Loasa, sp. flava ex Chile	... 1 0
1068	Chrysanthemum, sp. Chile	hha 6	1097	Marianthus caeruleus**n.	G. 1 0
1069	Cistus ladaniferus	hp 6	1098	Mathewsia, 2 new sp.	hha 6
1070	Clématis montana, frag.	... 6	1099	Menziesia alba	hp 6
1071	sp. australis	G. 6	1100	purpurea	... 6

ADDITIONAL SEEDS.			ADDITIONAL SEEDS.		
No.	H. & Dur.	Price.	No.	H. & Dur.	Price.
1101 Mímulus, sp. ex Andes	hbp†	s. d. 6	1125 Verhèna h. ròsea	hbp†	s. d. 6
1102 Pæonia, finest mixed	hp	1 0	1126 violacea	...	6
1103 Pentstemon splendens	hpt†	1 0	1127 teneroides	...	6
1104 Potentilla græcilis	...	3	1128 Tweediana	...	6
1105 lupinoides	...	3	1129 Vanguardii	...	6
1106 Pozda coriacea	fgh	6	1130 Wahlenbergia capillaris	...	6
1107 Quinquemahm pro- cunubens? pretty }	hbp	6	1131 An elegant little Annual	bha	6
1108 Shortia californica	bha	3	1132 A fine frag. Perennial, yel.	hbp†	1 0
1109 Salpiglossis grandiflora	...	1 0	1133 N. O. Compositæ, rose	bha	6
1110 Solanum, sp. ex Copiapo	...	6	1134 — — — bright yellow	...	6
1111 Schizanthus nivâlis	hp	1 0	1135 — — — orange	...	6
1112 Scutellaria Columnnea	hpt†	6	1136 — — — non-descript	...	6
1113 Sedum cæruleum	...	6	1137 — — — Labiata	G.	6
1114 Senecio elegans, 6 var. sep.	bha	1 6	1138 — — — Leguminosæ, climb	...	1 0
1115 Tigrîdia, sp. cærulea	fgh	6	1139 — — — 3 sp. N. Holl.	...	1 0
1116 Verbena hy'brida	hbp†	6	1140 — — — Liliæceæ	...	6
1117 var. Amie	...	6	1141 — — — Scrophulariæceæ, sc	S.	1 0
1118 Antwerpensis	...	6	1142 Class Polygamia, N. Holl.	hbp	6
1119 Bishopii	...	6	1143 Chilean Jasmin	G.	1 0
1120 Goliath	...	6	1144 Lemon Myrtle (Citrus sp.)	...	6
1121 formosissima	...	6	1145 Mixed Flower Seeds, Chile	...	1 0
1122 lugrami	...	6	1146 — — — New Holland	...	1 0
1123 Laconi	...	6	1147 — — — Cuba	S.	6
1124 Prince of Wales	...	6	1148 — — — East Indies	...	6
			1149 Ferns, 30 mixed Mexico	ghh	5 0

BULBOUS ROOTS.		£ s. d.	BULBOUS ROOTS.		£ s. d.
Anemones, finest new Dutch, 50v.	1	5 0	Ismène calathina, hp.	each	2 0
— 12 very fine do. do.		7 6	Ranunculus, English, Marseilles,		
— 24 in 6 distinct colours		7 6	Dutch & Scotch, 50 roots, hp.	1	0 0
— extra fine mixed, per doz.		2 6	Ex. fine mixed 50 var., per 100		7 6
— finest scarlet		3 6	Turban, scarlet		3 0
— finest single, mixed		1 0	— yellow		4 0
— hortensis, 12 in 6 var.		3 6	— dark crimson	per doz.	1 6
Anomatheca cruenta, hhp.		2 6	— orange		1 6
Brodiaea, Chil. species, hhp. each		1 0	— marbled		1 6
Commelina tuberôsa, hhp. p. doz.		2 6	— Prince de Galatzin		1 0
Conanthera, 3 sp. ex Chile, each		1 0	— Serafique, citron		1 6
Crinum capense, hp.		1 0	12 of each of the above 7 var.		7 6
— albiflorum, hp.		2 0	Hercules, white Turban, each		1 0
Gladiolus cardinalis, large, doz.		5 0	Mufti, spotted		1 0
— small, hp.		2 6	Picotee, aimable		1 0
— oppositiflorus (florihun- dus) hp. per doz. }		3 6	Sulphurea superba		1 0
— natalensis (psittacinus)		2 0	Sprekèlia formosissima, hp.		6
12 fine sorts		15 0	Tecophilæa, 2 sp. hhp.		1 6
Gloriosa superba**, hgh. each		2 6	Tigrîdia Pavonia, hhp. per doz.		2 6
Habranthus pratensis, hhp.		1 6	— conchiflora, hhp.	each	1 6
sp. rubro-flavus, hhp.		3 6	Tropæolum Jarattii, G.		3 0
Iris susiana, hhp.		1 0	Tuberoses, fine double, hhp. doz.		4 0
tuberôsa, hhp.		1 0	Watsonia, finest mixed, hp.		6 0
			Zephyranthes, Mex. sp., hhp. each		1 0

FINE DOUBLE DAHLIAS.

Pot Roots.

	Ft.	s. d.
Admirable, Spary's, <i>bright rose</i>	3	1 0
Admiral Stopford, Trenfield's, <i>deep maroon</i>	4	2 0
Andrew Hofer, Holmes', <i>crimson</i>	4	1 0
Argo, Widnall's, <i>light yellow</i>	4	1 0
Beauty of the Plain, Spary's, <i>white edged with purple</i>	3	1 6
Bedford Surprise, Sheppard's, <i>shaded rose</i>	4	2 0
Bridesmaid, Brown's, <i>white edged with purple</i>	4	1 0
Burnham Hero, Church's, <i>dark crimson</i>	4	1 0
Candidate, Silverloek's, <i>rich plum</i>	4	1 0
Climax, Jeffries', <i>crimson</i>	5	1 0
Colonel Baker, Dodd's, <i>dark claret</i>	4	4 0
Competitor, Hodges', <i>shaded rose</i>	4	2 0
Confidence, Cook's, <i>fine orange</i>	4	3 0
Conservative, Low's, <i>rosy purple</i>	4	1 0
Conqueror of the Plain, Spary's, <i>shaded</i>	5	1 6
Dowager Lady Cowper, Jackson's, <i>fine peach</i>	4	1 0
Duchess of Richmond, Fowler's, <i>mottled bronze</i>	5	1 0
Duke of Cornwall, Low's, <i>light rose</i>	3	1 6
Eclipse, Catleugh's, <i>rosy scarlet</i>	4	1 0
Eclipse, Widnall's, <i>crimson scarlet</i>	4	1 0
Egyptian King, Willmer's, <i>mottled</i>	4	1 0
Euclid, Ward's, <i>light purple</i>	4	1 6
Hon. Stewart Wortley, <i>light purple</i>	4	1 6
Hope, Neville's, <i>rosy lilac</i>	3	1 0
Horace, Mountjoy's, <i>dark</i>	4	1 0
Indispensable, Girling's, <i>violet purple</i>	4	1 0
Lady Harland, Jeffries', <i>lilac</i>	4	1 0
Le Grand Baudin, <i>mottled</i>	5	1 0
Maid of Bath, Davis', <i>white edged with purple</i>	4	1 0
Marquis of Lansdown, Brown's, <i>buff</i>	4	1 0
Maria, Wheeler's, <i>bright rose</i>	4	1 0
Metellus, Brown's, <i>purple</i>	4	1 0
Northern Beauty, Robin's, <i>white edged with pink</i>	4	4 0
Nicholas Nickleby, <i>mottled</i>	4	1 0
Optima, Thurtell's, <i>large purple</i>	4	1 6
Paul Pry, Brown's, <i>rose</i>	4	1 0
Ploughboy, Girling's, <i>purple</i>	4	1 0
President of the West, Whale's, <i>light crimson</i>	5	1 0
Prince Albert, Hodge's, <i>orange</i>	4	2 0
Prince of Wales, Dodd's, <i>bright yellow</i>	3	1 6
Prince of Wales, Girling's, <i>shaded purple</i>	4	1 0
Princess Royal, Hndson's, <i>yellow edged with crimson</i>	4	2 6
Queen, Widnall's, <i>peach</i>	4	1 0
Rose Unique, Ansell's	4	1 0
Satirist, Headland's, <i>orange</i>	4	1 6
Scarlet Defiance, Cozen's	4	1 6
Springfield Purple, <i>shaded</i>	4	1 6
Surprise, Oakley's, <i>red, white tip</i>	4	4 0
Tournament, Union, <i>lilac</i>	4	1 0
Tournament, Catleugh's, <i>light scarlet</i>	4	1 0

	Ft.	£	s.	d.
Trinaph, fine shaded white	4	0	2	0
Twyford Perfection, Young's, crimson	4	0	1	0
Virgil, Mountjoy's, dark	5	0	3	6
Westbury Rival, Hall's, dark pucc	4	0	1	0
50 of the above fine varieties, including Colonel Baker, Confid- ence, Northern Beauty, and Surprise	3	0	0	
25 do. do. including the same 4 varieties	2	0	0	
12 do. do. including Colonel Baker	1	0	0	
12 fine varieties, each different	0	10	0	

SUNDRY PLANTS.

Carnations, extra fine prize flowers, named, per 12 pair.....	1	4	0
————— 12 single plants	0	13	0
Picotees, extra fine, white grounds, per 12 pair	1	0	0
————— 12 single plants	0	11	0
————— yellow grounds, per 12 pair	1	4	0
————— 12 single plants	0	13	0
Chrysanthemums, fine, 10s. doz., extra fine do., per doz.....	0	18	0
Fuchsias, " 12s. doz., " " " " " "	1	0	0
Geraniums, 12s., 20s., 40s., 60s. to 80s. per doz.....			
Heartsease or Pansies, 12 extra fine sorts.....	1	0	0
———— 12 fine varieties	0	10	0
Pinks, extra fine, per doz. 8s., 50 do. do.....	1	10	0
Roses, fine Standards, 12 varieties, per doz.....	1	10	0
———— Half-Standards, per doz.	18s. to	1	4
———— dwarf, " "	6s. to	0	18
———— climbing and Noisette, per doz.	9s. &	0	12
Rose du Roi, for bedding or forcing, per doz.	0	15	0

To prevent J. C. from sending duplicates, he requests the names of such as are already possessed.

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Beet, white per oz.	0 3
	Asparagus, giant "	0 3	4 to 5	Borecole or Kail, brown "	0 4
11 to 6	Beans, early Mazagan p. qt.	0 6		green curled "	0 4
	dwarf Fan "	0 8		purple "	0 4
	new long pod "	0 8		variegated, &c. &c. "	0 6
	Johnson's Wonderful, "	0 8	4 to 6	Broccoli, earliest Cape p.	1 0
	sword long pod "	0 6		white Cape "	1 0
	green long pod "	0 6		Grange's white "	1 0
1 to 5	largest Windsor "	0 8		early Belvidere "	1 0
	Taylor's Windsor "	0 8		— Cauliflower B. "	1 0
	green Windsor, &c. "	0 8		— cream-coloured "	1 0
4 to 6	Beet, finest red per oz.	0 4		— purple "	1 0
	new German red "	0 6		— white "	1 0
	green "	0 3		— Chappel's "	1 6
	silver or Sea kail "	0 6		— Malta "	1 0

Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s. d.			s. d.
4 to 6	Broccoli, early sprouting, oz.	1 0	3 to 9	Chon de Milan per oz.	0 8
	early Walcheren "	1 6	2 to 8	Carrot, earliest Horn "	0 3
	Chappel's cream "	1 6		long Surrey "	0 3
	Brinstone "	1 0		— orange "	0 3
	dwarf Russian "	1 0		Altringham "	0 3
	Hampton Court "	1 0		Cauliflower, early Eng. "	1 0
	Howden's superb "	1 0		late English "	1 0
	Impregnated white "	1 0		early Asiatic "	1 0
	Invisible "	1 0		late Cyprus "	1 0
	Knight's protecting "	1 0	3 to 6	Celery, solid white "	0 4
	Portsmouth "	1 0		solid red "	0 4
	Winter Imperial "	1 0		giant red "	0 6
	White Southampton "	1 0		giant white "	0 6
	late white "	1 0		Scymour's white "	0 6
	— Miller's "	1 0		large root. Celeriac, "	0 6
	— purple close-h. "	1 0		Cardoon, Spanish "	0 6
	— large white "	1 0		new large purple, pa.	1 0
	— large purple "	1 0		Chervil, curled per oz.	0 4
	— American, ext. "	1 6	4 to 6	Colewort, Hlaw Green "	0 4
	very late d. Danish "	1 0	5 to 7	Corn Salad "	0 3
	6 best for succession	6 0	2 to 9	Cress, common, per quart	1 0
5 to 6	Brussels sprouts, extra. "	1 0		triple curled "	1 6
3 to 9	Cabbage, American, per oz.	1 0		Cress, golden "	2 0
	Atkins' Matchless "	1 0		Amer. perennial p. oz.	0 3
	Carter's new Matchless	2 6		Water "	1 0
	early dwarf per oz.	0 6	1 to 6	Cucumber, fine frame p. pa.	0 6
	— Hope "	0 6		fine black spine "	0 6
	— Nonpareil "	0 6		fine long prickly "	0 6
	— York "	0 6		Philip's long "	0 6
	— Battersea "	0 6		fine Ridge "	0 6
	— East Ham "	0 6		short prickly "	0 3
	— Emperor "	0 6		green & wh. Turkey, "	0 6
	— heart-shaped "	0 6		Cuthill's black spine "	0 6
	— Paignton "	0 6		Hero of Surrey "	0 6
	— Plaw "	0 6		Manchester prize "	0 6
	— Sugar loaf "	0 6		improved Manchester "	0 6
	— Vanack "	0 6		Man of Kent "	0 6
	— Wellington, &c. "	0 6		Roman Emperor "	0 6
	large Imperial "	0 6		Sion House "	0 6
	— Battersea "	0 6		Snow's Horticultural "	0 6
	6 best sorts, 1 oz. each	4 0		superb white spine "	0 6
	Red Dutch "	0 6		Victory of Suffolk "	0 6
	Cabbage, drumhd. Savoy, "	0 6		Walker's Rambler "	0 6
	large green Savoy "	0 6		— Traveller "	0 6
	yellow Savoy "	0 6		— prize-fighter "	0 6
	Braganza "	0 8		Weedon's frame "	0 6
	Pe-tsai or Chinese pa.	0 6		6 fine sorts	2 6
	Pak-choi, new Chinese	1 0	6 to 8	Endive, green curled oz.	0 8
	Turniprooted ab. g. oz.	0 6		white curled "	0 8
	Turniprooted un. g. "	0 6		Batavian, white "	0 8

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
6 to 8	Endive, Batav., green, p. oz.	0 8	1 to 5	Melon, Persian	0 6
5 to 7	French beans, all sorts per qt.	1 0		Pine Apple, American	0 6
	Scarlet Runners "	1 0		Scarlet-flesh, fine m.	0 6
	Painted Lady "	1 6		Scarlet Rock	0 6
	Indian Corn, per pa.	0 3		Succade Melon, extra	0 6
3 to 5	Lcek, London Flag p. oz.	0 6		Victoria	1 0
1 to 8	Lettuce, Bath Cos*	1 0		White Frogmore	0 6
	new black-seeded*	1 0		Windsor prize, scarlet	0 6
	Ady's large Cos "	1 0		Windsor prize, green	0 6
	blood Cos "	1 0		Yellow Cantalupe	0 6
	brown Cos*	1 0		6 best sorts	3 6
	black seed g. Cos "	1 0		<i>Water Melons.</i>	
	dwarf Siberian Cos "	1 0		Citron water Melons }	0 6
	Egyptian Cos*	1 0		for preserving only }	
	Florence Cos "	1 0		Imperial, fine flavour	0 6
	green Cos "	1 0		Long Carolina	0 6
	new black-seeded*	1 0		Long Island	0 6
	Paris Cos "	1 0		Long Mountain	0 6
	spotted Cos "	1 0		sprout, very large }	0 6
	white Cos "	1 0		Mixed	0 6
	Silesia "	1 0	3 to 9	Mustard, white p. quart	1 0
	brown Dutch*	1 0		brown "	1 0
	Drumhead cab. "	1 0	3 to 8	Onion, blood-red per oz.	0 6
	Grand Admiral ca. "	1 0		Deptford*	0 6
	Imperial cabbage "	1 0		Globe "	0 8
	Malta cabbage "	1 0		— new white "	0 8
	Marseilles cabbage "	1 0		James' keeping "	0 8
	Large Mogul cab. "	1 0		Lishon*	0 6
	white-seeded "	1 0		Pickling "	0 8
	Hammersmith, hardy*	1 0		Portugal, white "	0 8
	Tennis ball "	1 0		Reading, white "	0 8
	white cabbage*	0 6		Silver-skinned "	0 8
	New Cape cabbage, pa.	1 0		Spanish, white*	0 8
4 and 5	Love apple or Tomato p. pa.	0 3		— brown "	0 6
	yellow "	0 3		Strasburg*	0 6
	<i>Melon Seeds, per packet.</i>			Tripoli*	1 0
1 to 5	Melon, American Sugar	0 6		Two-bladed "	0 8
	Beechwood	1 0		Welch*	0 6
	Carter's f. green-fleshed	1 0	7 to 5	Parsley, curled	0 3
	Candahar	1 0		extra curled "	0 4
	Duncan's fine g. fl.	0 6		Hambro', rooted "	0 4
	Golden Cassabar	0 6	2 to 5	Parsnip, hollow-crowned,	0 3
	Green-fleshed, fine m.	0 6		Guernsey "	0 3
	Ispahan	1 0	9 to 5	Peas, early May p. qt.	1 0
	Hardie's new Cantalupe, the earliest }	1 0		— Race Horse "	1 0
	Netted Cantalupe, mix.	0 6		— Prince Albert "	2 0
	Niel's extra fine g. f.	0 6		— Warwick "	0 8
	Nutmeg, American	0 6		— s. blossom Frame	0 8
				— d. blossom do. "	0 8
				— nimble "	0 8

Mouth. of Sow.	oz. ounce; qt. quart.	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
9 to 5	Peas, Charlton per qt.	0 6	3 to 5	Scorzonera per oz.	0 8
	— Bishop's dwarf „	0 8	2 to 5	Sca Kail per qt.	2 0
3 to 6	Carter's Lilliputian, } new & extraor., oz. }	5 0		Skirret per oz.	0 8
	— new Colossus, pr. lb.	5 0	2 to 6	Sorrel „	0 6
	Glory of England qt.	1 0	2 to 10	Spinach, round per qt.	1 0
	Marrow, dwarf wh. „	0 8		prickly „	1 0
	— tall white „	0 8	3 to 5	broad Flanders „	1 0
	— dwarf green „	0 8	2 to 5	New Zealand per oz.	0 6
	— tall green „	0 8		Squash, 3 var. mixed per pa.	0 6
	— early green „	0 8	2 to 6	6 var. separate „	1 6
	— Woodford's green „	0 8		Turnip, early Dutch per oz.	0 3
	— Grotto „	0 8		early Mousetail „	0 3
	— Royal Victoria „	1 0	3 to 9	— Snowball „	0 3
	Knight's marrow, d. „	1 0		— six week „	0 3
	— tall white „	1 0		— stone „	0 3
	— dwarf green „	1 0		yel. Altringham „	0 3
	— tall green „	1 0		— Maltese „	0 3
	Matchless „	0 8	3 to 5	— stone „	0 3
	new Milford „	0 8		Teltau, German „	0 6
	— Wrinkle „	1 6	2 to 5	yel. Scarisbrick per pa.	0 6
	— dwarf Victory „	1 0		Vegetable Marrow „	0 6
	— Mammoth „	1 0			
	Prussian blue „	0 8	4 to 6	SWEET HERBS, &c.	
	Groom's superb „	1 0		Balm per pa.	0 3
	Imperial, Bedman's „	0 8		Basil, sweet „	0 3
	new British Queen „	2 0		— bush „	0 3
	Scimitar, dwarf blue „	0 8		Borage „	0 3
	Spanish dwarf „	0 8		Bugloss „	0 3
4 to 6	Potato Seed, best pa.	1 0		Burnet „	0 3
5 and 6	Purslain, green per oz.	0 6		Clary „	0 3
1 to 8	Radish, long frame per qt.	2 6		Capsicum and Chilis „	0 6
	Wood's new frame „	2 6		Fennel „	0 3
	early scarlet „	2 0		Florence Fennel „	0 6
	early short topt „	2 0		Hyssop „	0 3
	long Salmon „	2 0		Lavender „	0 3
	white Naples „	2 6		Marjoram, sweet „	0 3
	purple Salad „	1 6		— pot „	0 3
	red Turnip „	2 0		Marigold, pot „	0 3
	white Turnip „	2 0		Rosemary „	0 3
	new Chinese, rose- }	1 0		Wormwood „	0 3
	coloured Winter, pa. }			Sage „	0 3
	olive-shaped per oz.	0 3		Savory, Summer „	0 3
	Black Spanish „	0 3		— Winter „	0 3
4 to 5	Rampion per pa.	0 6		Thyme „	0 3
1 to 8	Rape, Salad per qt.	1 0			
3 to 5	Rhubarb, fine mixed per oz.	0 6	4 to 9	FRUIT SEEDS.	
	Giant per pa.	0 6		Strawberry, Red Alpine, pa.	0 6
	Tobolsk „	0 6		— white Alpine „	0 6
	Salsafy per oz.	0 8		— new Alpine „	1 0
				— British Queen „	1 0

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
4 to 7	[per pa.				
	Strawberry, Keen's seedling	0 6		Chives per 100.	
	— Elton Pine, &c. "	0 6		Garlic per lb.	1 0
	8 fine varieties "	5 0		Horse Radish per doz.	
	Raspberry, best red "	0 6		Mushroom Spawn per bush.	4 0
	<i>And Seeds of other Fruits,</i>			Potato, early forcing, all sorts	
	<i>Physical Herbs, &c.</i>			— Wright's prolific, &c. &c.	
				Rhubarb, Tobolsk each	1 0
				Myatt's Victoria "	1 6
	ROOTS, PLANTS, &c.			Rocamboles per lb.	
	<i>The Prices variable.</i>			Shallots	1 0
	Artichokes per peck			Sea Kail per 100.	
	Asparagus, all sorts			Strawberries, various "	
				Raspberries, all sorts.	

AGRICULTURAL SEEDS.

Cabbage, largest field	per lb.	Grass, mixed Lawn	per Acre
Carrot, ext. large white	"	Mangel Wurzel, all sorts	per lb.
Grasses, all sorts	separate	Turnip,	do. " &c. &c.

Russia Mats, Garden Utensils, Netting, &c.—Roses, Shrubs, Fruit Trees, &c. &c.
Seeds carefully packed for Exportation.

****** A Catalogue of genuine Dutch Bulbs will be published in Autumn.

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

- LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10l.
 — Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2l. 10s.
 — Encycl. of Cottage, Farm, and Villa Architecture. 1 vol. 2000 Engravings. 3t
 — Supplement to do. 8vo. numerous engravings, 3s.
 — Suburban Gardener and Villa Companion. 1 vol. 8vo. 1l.
 — REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous Plates, 1l. 10s.
 plain, 3l. coloured.
 — Hortus Lignosus Londinensis, 1 vol. 8vo. 7s.
 — The Gardener's Magazine. 1n 8vo. Numbers, monthly. 1s. 6d. each.
 — The Suburban Horticulturist. 1 vol. 8vo. 380 Engra. 15s. An excellent work.
 Mrs. LOUDON'S Ladies' Flower Garden, monthly. 2s. 6d. each.
 — Companion to ditto, 2nd edition. 1 vol. post 8vo. 6s.
 — The Ladies' Magazine of Gardening. 8vo. monthly. col. Plates. 1s. 6d. each.
 The Annals and Magazine of Natural History; monthly. 2s. 6d. each.
 Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.
 — Sertum Orchidaceum, splendidly coloured, 10 parts. 25s. each.
 PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.
 — Pocket Botanical Dictionary. 15s.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

Ladies and Gentlemen in giving orders, to prevent mistakes, are requested to mention the date of the Catalogue, as the numbers are changed every year.

Printed by R. and J. E. Taylor, Red Lion Court, Fleet Street.